

VILLAGE OF BRADLEY

RESOLUTION NO. R-11-24-01

A RESOLUTION APPROVING A PROPOSAL FOR RESTAURANT EQUIPMENT FOR THE
BRADLEY SPORTS COMPLEX

ADOPTED BY THE
BOARD OF TRUSTEES OF THE
VILLAGE OF BRADLEY

THIS 12th DAY OF November, 2024

Published in pamphlet form by the authority of the Board of Trustees of the Village of Bradley,
Kankakee County, Illinois this 12th day of November, 2024

RESOLUTION NO. R-11-24-01

A RESOLUTION APPROVING A PROPOSAL FOR RESTAURANT EQUIPMENT FOR THE BRADLEY SPORTS COMPLEX

WHEREAS, the Corporate Authorities of the Village of Bradley, Kankakee County, Illinois, have the authority to adopt resolutions and to promulgate rules and regulations that pertain to its government and affairs and protect the public health, safety, and welfare of its citizens; and

WHEREAS, pursuant to Section 2-3-8 of the Illinois Municipal Code (65 ILCS 5/2-3-8), the Corporate Authorities of the Village are authorized to enter into contracts that support and advance the legitimate public purposes of the Village; and

WHEREAS, Zepole Supply Co, an Illinois corporation (collectively the "Company"), that is in the business of selling restaurant equipment; and

WHEREAS, Village staffed contacted multiple vendors for quotes to purchase restaurant equipment selected by their sports complex architects; and

WHEREAS, the Company has provided the Village with a written proposal, copy of which are attached hereto as Group Exhibit A and fully incorporated herein, in which the Company offers to provide restaurant equipment, in exchange for total consideration of eight hundred twelve thousand two hundred eighty eight dollars and 00/100 dollars (\$812,288.33) (the "Proposal"); and

WHEREAS, the Corporate Authorities of the Village have reviewed the Proposal and have determined that the terms, conditions, and provisions thereof are fair, reasonable, and acceptable to the Village; and

WHEREAS, the Corporate Authorities of the Village have determined that approving the Proposal in an amount not to exceed eight hundred twelve thousand two hundred eighty-eight dollars and 00/100 dollars (\$812,288.33) is in the best interests of the Village and its citizens; and

WHEREAS, the Corporate Authorities of the Village have further determined, by the affirmative vote of two-thirds (2/3) of all Village Trustees presently holding office, that it is necessary, expedient, and in the best interests of the Village and its citizens to waive any and all competitive bidding requirements that might otherwise be applicable to the Proposals.

NOW THEREFORE, BE IT RESOLVED BY THE CORPORATE AUTHORITIES OF THE VILLAGE OF BRADLEY, KANKAKEE COUNTY, ILLINOIS, PURSUANT TO ITS STATUTORY AUTHORITY, AS FOLLOWS:

SECTION 1. The Corporate Authorities hereby find that all of the recitals contained in the preamble to this Resolution are true, correct, and complete and are hereby incorporated by reference hereto and made a part hereof.

SECTION 2. The Corporate Authorities of the Village hereby find and declare that the terms, conditions, and provisions of the Proposals (Group Exhibit A) are fair, reasonable, and acceptable to the Village. Therefore, the Corporate Authorities of the Village hereby approve the Proposals in an amount not to exceed eight hundred twelve thousand two hundred eighty eight dollars and 00/100 dollars (\$812,288.33) and direct the Finance Director to undertake any and all actions, including without limitation the execution and delivery of documents, necessary to engage the Company to complete the Event as set forth in the Proposals.

SECTION 3. The Corporate Authorities of the Village hereby, by the affirmative vote of two-thirds (2/3) of all Village Trustees presently holding office, waive any and all competitive bidding requirements that might otherwise be applicable to the Proposals (Group Exhibit A).

SECTION 4. In the event that any provision or provisions, portion or portions, or clause or clauses of this Resolution shall be declared to be invalid or unenforceable by a Court of competent jurisdiction, such adjudication shall in no way affect or impair the validity or enforceability of any of the remaining provisions, portions, or clauses of this Resolution that may be given effect without such invalid or unenforceable provision or provisions, portion or portions, or clause or clauses.

SECTION 5. All ordinances, resolutions, motions, or parts thereof, conflicting with any of the provisions of this Resolution, are hereby repealed to the extent of the conflict.

SECTION 6. The Village Clerk is hereby directed to publish this Resolution in pamphlet form.

SECTION 7. This Resolution shall be in full force and effect from and after its passage, approval, and publication in pamphlet form as provided by law.

[Intentionally Blank]

PASSED by the Board of Trustees on a roll call vote on the 12th day of November, 2024.

TRUSTEES:

| | | | |
|---------------------|---|--------------------------------|-----------------------------------|
| RYAN LEBRAN | Aye - <input checked="" type="checkbox"/> | Nay - <input type="checkbox"/> | Absent - <input type="checkbox"/> |
| BRIAN BILLINGSLEY | Aye - <input checked="" type="checkbox"/> | Nay - <input type="checkbox"/> | Absent - <input type="checkbox"/> |
| DARREN WESTPHAL | Aye - <input checked="" type="checkbox"/> | Nay - <input type="checkbox"/> | Absent - <input type="checkbox"/> |
| BRIAN TIERI | Aye - <input checked="" type="checkbox"/> | Nay - <input type="checkbox"/> | Absent - <input type="checkbox"/> |
| GRANT D. VANDENHOUT | Aye - <input checked="" type="checkbox"/> | Nay - <input type="checkbox"/> | Absent - <input type="checkbox"/> |
| GENE JORDAN | Aye - <input checked="" type="checkbox"/> | Nay - <input type="checkbox"/> | Absent - <input type="checkbox"/> |

VILLAGE PRESIDENT:

| | | | |
|----------------|--------------------------------|--------------------------------|-----------------------------------|
| MICHAEL WATSON | Aye - <input type="checkbox"/> | Nay - <input type="checkbox"/> | Absent - <input type="checkbox"/> |
| TOTALS: | Aye - <u>6</u> | Nay - <u>0</u> | Absent - <u>0</u> |

ATTEST:



KELLI BRZA, VILLAGE CLERK

APPROVED this 12th day of November, 2024.


MICHAEL WATSON, VILLAGE PRESIDENT

ATTEST:


KELLI BRZA, VILLAGE CLERK



Handwritten header text, possibly a title or address line.

Handwritten text in the upper left quadrant, possibly a list or notes.


Handwritten text in the upper right quadrant, possibly a list or notes.

Handwritten text in the middle left section, possibly a signature or name.

Large handwritten signature or name in the middle right section.

Handwritten text in the lower middle section, possibly a signature or name.

Small handwritten text or initials.



Large handwritten signature or name in the lower right section.

STATE OF ILLINOIS)
)
COUNTY OF KANKAKEE) §§

I, Kelli Brza, Village Clerk of the Village of Bradley, County of Kankakee and State of Illinois, DO HEREBY CERTIFY that the attached is a true, perfect, and complete copy of Resolution number R-11-24-01, "A RESOLUTION APPROVING A PROPOSAL FOR RESTAURANT EQUIPMENT FOR THE BRADLEY SPORTS COMPLEX" which was adopted by the Village Corporate Authorities at a meeting held on the 14th day of November 2024.

IN WITNESS WHEREOF, I have hereunto set my hand in the Village of Bradley, County of Kankakee and State of Illinois, on this 14th day of November, 2024.


KELLI BRZA, VILLAGE CLERK



1998/1999

1998/1999

1998/1999
1998/1999
1998/1999
1998/1999
1998/1999

[Handwritten signature]




Exhibit A



ZEPOLE SUPPLY CO.
Restaurant Supplies & Equipment

Quote

09/26/2024

Project:
Village of Bradley Sports Complex
1750 E 5000N Rd
Bradley, IL 60915


From:
Zepole Rest. Supply Co.
Gary Thiakos
506 E. North Frontage Rd.
Bolingbrook, IL 60440-3061
630-783-1239
(630) 783-1239 (Contact)
(630) 739-5289 (Fax)
gary@zepole.com





Project Code: 130936

Job Reference Number: Q010488



NOTE: LEAD TIMES GIVEN ARE ONLY ESTIMATES AT THE TIME OF QUOTING AND CAN CHANGE AT ANY TIME BEFORE OR AFTER ORDERS ARE PROCESSED. PRICING IS SUBJECT TO CHANGE AT ANY TIME, DEPENDANT ON MANUFACTURER PRICE INCREASES.

| Item | Qty | Description | Sell | Sell Total |
|--------------------------|-------|--|--------------------|--------------------|
| 1,1.1,1 .,1.3,1. 4 | 1 ea | WALK IN COMBINATION COOLER FREEZER, REMOTE Kolpak Model No. BRADLEYCOMBO1 Combo - Clr/Frz (NSF) Overall Dimensions: 20'-1" (Hold-To) x 10'-10" (Hold-To) x 9'-10 1/4" (Hold-To) 3/4 HP 2 - 5 YR Extended Compressor Warranty 2 HP 2 - 5 YR Extended Compressor Warranty A255820 Rev. 1 | \$51,901.92 | \$51,901.92 |
| | | | ITEM TOTAL: | \$51,901.92 |
| 2 | 35 ea | WIRE SHELVING Zepole Supply Co. Model No. WS1848E SHELF, WIRE 18"X 48" GREEN EPOXY | \$41.40 | \$1,449.00 |
| | 5 ea | WS1836E SHELF, WIRE 18"X 36" GREEN EPOXY | \$34.80 | \$174.00 |
| | 32 ea | WS86E POST, 86" GREEN EPOXY | \$19.95 | \$638.40 |
| | | | ITEM TOTAL: | \$2,261.40 |
| 4 | 20 ea | WIRE SHELVING | \$41.40 | \$828.00 |





| Item | Qty | Description | Sell | Sell Total |
|---|-------|--|--------------------|--------------------|
|  | | Zepole Supply Co. Model No. WS1848E SHELF, WIRE 18"X 48" GREEN EPOXY | | |
| | 16 ea | WS86E POST, 86" GREEN EPOXY | \$19.95 | \$319.20 |
| | | | ITEM TOTAL: | \$1,147.20 |
| 5,5.1,5 .2 | 1 ea | WALK IN COOLER, MODULAR, REMOTE Kolpak Model No. BRADLEYBEER1 Beer Clr (NSF)- Overall Dimensions: 11'-0" (Hold-To) x 7'-7" (Hold-To) x 9'-10 1/4" (Hold-To) 3/4 HP 2 - 5 YR Extended Compressor Warranty A256112 Rev. 1 | \$30,825.96 | \$30,825.96 |
| | | | ITEM TOTAL: | \$30,825.96 |
| 6 | 5 ea | WIRE SHELVING Zepole Supply Co. Model No. WS2448E SHELF, WIRE 24"X 48" GREEN EPOXY | \$52.20 | \$261.00 |
|  | | | | |
| | 10 ea | WS2436E SHELF, WIRE 24"X 36" GREEN EPOXY | \$43.50 | \$435.00 |
| | 12 ea | WS86E POST, 86" GREEN EPOXY | \$19.95 | \$239.40 |
| | | | ITEM TOTAL: | \$935.40 |
| 7 | 3 ea | KEG STORAGE RACK John Boos Model No. ALKR-2042-X Keg Rack, 42"W x 20"D x 76"H, (3) shelves, accommodates (4) kegs, mid & bottom shelves are constructed of 1-3/4" square tubing running front-to-back with a load rating of 60 lb/ft ² , top shelf is constructed of 1-3/4" square tubing running left-to-right with a load rating of 15 lb/ft ² , 1-5/16" dia. post, aluminum construction (Available in Effingham and Nevada) | \$823.08 | \$2,469.24 |
|  | | | | |
| | | | ITEM TOTAL: | \$2,469.24 |
| 8 | 10 ea | WIRE SHELVING Zepole Supply Co. Model No. WS2448E SHELF, WIRE 24"X 48" GREEN EPOXY | \$52.20 | \$522.00 |
|  | | | | |
| | 8 ea | WS86E POST, 86" GREEN EPOXY | \$19.95 | \$159.60 |
| | | | ITEM TOTAL: | \$681.60 |

| Item | Qty | Description | Sell | Sell Total |
|------------------------|-------|---|--------------------|--------------------|
| 8 | 10 ea | WIRE SHELVING Zepole Supply Co. Model No. WS2436E SHELF, WIRE 24"X 36" GREEN EPOXY | \$43.50 | \$435.00 |
| | 8 ea | WS86E POST, 86" GREEN EPOXY | \$19.95 | \$159.60 |
| | | | ITEM TOTAL: | \$594.60 |
| 9 | 1 ea | BIB Custom Model No. BIB STATION BAG IN A BOX STATION BY VENDOR | | <By Vendor> |
| 10,11, 12,13, 14 | 1 ea | EXHAUST HOOD Accurex Model No. BRADLEYH1 Hood - 1- Exhaust Only Wall Canopy Hood w/ ASP - XBEW-T-222.00-S Item 10 CP1 -1- Accurex Kitchen Controls - Variable Volume- XKC-DCV-S-11-2-1-0 Item 11 Ex. Fan - 1- RF FV Fan- XCUE-200HP-A Item 12 MUA- 1- Tempered Supply Fan - XDGX-P115-H12-MF Item 13-14 FS - 1- Fire Suppression System - FSSK - 18 - 2 Stainless Steel Backsplash - 74" High 222" Long | \$14,775.56 | \$14,775.56 |
| | 1 ea | BRADLEYFS FS - 1- Fire Suppression System - FSSK - 18 - 2 | \$4,367.06 | \$4,367.06 |
| | 1 ea | BRADLEYFS1 FS Gas Valve | \$674.86 | \$674.86 |
| | 1 ea | BRADLEYFS2 Fire Field Hook Up | \$6,363.84 | \$6,363.84 |
| | 1 ea | BRADLEYEF Utility Set Exhaust Fan XUEF-18 | \$4,475.29 | \$4,475.29 |
| | 2 ea | BRADLEYCURB Roof Curb GESI | \$185.05 | \$370.10 |
| | 1 ea | BRADLEYMUA Tempered Supply Fan XDGX-P116-H12-MF | \$9,606.44 | \$9,606.44 |
| | 1 ea | BRADLEYCP Kitchen Controls XKC-DCV-S-11-2-1-0 | \$3,622.30 | \$3,622.30 |
| | 1 ea | BRADLEYSU Start Up Service | \$1,350.00 | \$1,350.00 |
| | 1 ea | BRADLEYCS Certification Service | \$1,068.84 | \$1,068.84 |
| | | | ITEM TOTAL: | \$46,674.29 |
| 15 | 1 ea | GAS FRYER, BATTERY | \$27,346.40 | \$27,346.40 |

| Item | Qty | Description | Sell | Sell Total |
|---|------|---|--------------------|--------------------|
|  | | Vulcan Model No. 2VHG50AF QuickFry™ Fryer, gas, high efficiency, 31 1/4"W, (2) battery, 50 lbs. capacity per vat, solid state analog knob control with melt cycles, electronic ignition, KleenScreen PLUS filtration system, twin baskets, stainless steel cabinet & fry tank, adjustable casters (2 swivel locking & 2 non-locking), 150,000 BTU, CSA, NSF, ENERGY STAR | | |
| | 1 ea | 1 year limited parts & labor warranty, standard | | |
| | 1 ea | 10 year limited tank warranty, standard. | | |
| | 1 ea | Natural gas (specify elevation if over 2,000 ft.) | | |
| | 1 ea | (2) 120v/50/60/1-ph, NEMA 5-15P, standard | | |
| | 1 ea | COVER-TANKVHG50 Tank Cover for 50 lbs. fryers | \$173.49 | \$173.49 |
| | 1 ea | VSPGUARD-VHG50 Splash Guard, 10"H, for 50 lbs. fryers, stainless steel, removable | \$197.93 | \$197.93 |
| | 1 ea | VHG50CRUMB-SCREEN Crumb Screen for 50 lbs. fryers | \$180.82 | \$180.82 |
| | 1 ea | CONNECT-KITVHG50 Connecting Kit for 50 lbs. fryers | \$146.61 | \$146.61 |
| | 1 ea | FRYMATE VX15 Frymate™ Holding Station, free standing or add-on unit, 15-1/2" wide, 30-1/8" depth, stainless steel cabinet base, stainless steel top drain section with removable grease collector, set of 4 casters (2 locking), connecting strip & hardware included, (for 35-65 lb capacity gas or electric fryers) | \$2,943.46 | \$2,943.46 |
| | 1 ea | FOOD-WARMER-QS-PLATINUM (Quick Ship) ThermoGlo™ Food Warmer, 120v, for all Frymate™ models | \$2,205.52 | \$2,205.52 |
| | 1 kt | Dormont RG10048 Dormont ReliaGuard® Foodservice Gas Connector Kit, 1" inside dia., 48" long, covered with stainless steel braid, coated with gray PVC, (1) quick disconnect, coiled restraining cable with hardware, limited 5 year warranty | \$290.59 | \$290.59 |
| | | | ITEM TOTAL: | \$33,484.82 |
| 16 | 1 ea | HD RANGE, 36", 4 OPEN BURNERS Vulcan Model No. V4B36C V Series Heavy Duty Range, gas, 36", (4) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 172,000 BTU, 6" adjustable legs, CSA, NSF | \$17,109.64 | \$17,109.64 |
|  | | | | |
| | 1 ea | 1 year limited parts & labor warranty, standard | | |
| | 1 ea | Natural gas (specify elevation if over 2,000 ft.) | | |
| | 1 ea | PRREGN-001 1" NPT pressure regulator with reducer (Natural gas) | \$416.38 | \$416.38 |
| | 1 ea | 1-1/4" rear gas connection, standard | | |
| | 1 ea | Rear gas connection: cap & cover, both ends | | |
| | 1 ea | 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard | | |
| | 1 ea | 36IRB-N Salamander Broiler, natural gas, 36" wide, 30,000 BTU heavy duty infrared burner, dual control, (6) grid positions, removable pan, stainless steel front, top & sides, 3/4" gas connection & pressure regulator | \$5,721.74 | \$5,721.74 |

| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|--------------------|
| | 1 ea | 1 year limited parts & labor warranty, standard | | |
| | 1 ea | V36RR Reinforced Riser, for standard or convection ovens (if mounting a 36" cheesemelter or either of the salamanders on a back riser above the heavy duty range, you must add this) | \$1,749.07 | \$1,749.07 |
| | 1 ea | PLUMBIN-KIT Inter-plumbing gas connection kit (requires rear gas connection on range), for connecting 36RB/36IRB to heavy duty V-Series ranges | \$889.44 | \$889.44 |
| | 1 ea | CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) | \$623.10 | \$623.10 |
| | 1 kt | Dormont RG10048 Dormont ReliaGuard® Foodservice Gas Connector Kit, 1" inside dia., 48" long, covered with stainless steel braid, coated with gray PVC, (1) quick disconnect, coiled restraining cable with hardware, limited 5 year warranty | \$290.59 | \$290.59 |
| | | | ITEM TOTAL: | \$26,799.96 |
| 17 | 1 ea | EQUIPMENT STAND, REFRIGERATED BASE Continental Refrigerator Model No. D72GN Refrigerator Griddle Stand, two-section, (4) drawers, two drawers accommodates (1) 12" x 20" x 6" & (1) 6" x 20" x 6", two drawers accommodates (2) 12" x 20" x 6", stainless steel top with drip guard marine edge, stainless steel exterior & interior, electronic control with digital display, hi-low alarm, self-contained refrigeration, R290 hydrocarbon refrigerant, 1/4 HP, 10' cord, cETLus, NSF, ENERGY STAR® | \$8,945.27 | \$8,945.27 |
| | 1 ea | Standard warranty (for the United States & Canada Only): 6 year parts and labor; additional 1 year compressor part | | |
| | 1 ea | 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, standard | | |
| | 1 ea | Condensing unit on the right, standard | | |
| | 1 ea | Casters, 3" diameter, 4"H overall, standard | | |
| | | | ITEM TOTAL: | \$8,945.27 |
| 18 | 1 ea | GRIDDLE, GAS, COUNTERTOP Southbend (Middleby) Model No. HDG-36 (QUICK SHIP) Griddle, countertop, gas, 36" W x 24" D cooking surface, 1" thick polished steel plate, thermostatic controls, battery spark ignition, flame failure safety device, stainless steel front, sides & 4" adjustable legs, 90,000 BTU, CSA, NSF (Ships within 2 days, maximum quantity = 2 per order) | \$6,629.30 | \$6,629.30 |
| | 1 ea | Quick Ship items have limited configurations & that standard configuration may not apply. Contact factory for details | | |
| | 1 ea | Standard one year limited warranty | | |
| | 1 ea | Natural Gas | | |
| | 1 ea | SPSS-36 Plate Landing Shelf, 36" | \$916.18 | \$916.18 |
| | 1 ea | 2-1/2" leg in lieu of standard (priced per leg) | \$86.32 | \$86.32 |
| | 1 ea | Filler strip | \$63.43 | \$63.43 |
| | 1 ea | Dormont 1675KITB48 Hose, Moveable Gas Connector Kit, 3/4" inside dia., 48" | \$178.40 | \$178.40 |



| Item | Qty | Description | Sell | Sell Total |
|------|------|--|--------------------|-------------------|
| | | long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Standard Snap QD, (1) full port valve (2) 90 elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty | | |
| | | | ITEM TOTAL: | \$7,873.63 |
| 19 | 1 ea | CHARBROILER, GAS, COUNTERTOP Southbend (Middleby) Model No. HDC-24 Charbroiler, gas, countertop, 24", cast iron radiants, stainless steel burners, two-position, two sided cooking grid, removable crumb tray, stainless steel front, sides & 4" adjustable legs, 80,000 BTU, CSA Star, CSA Flame, cCSAus, NSF | \$5,385.95 | \$5,385.95 |
| | |  | | |
| | 1 ea | Standard one year limited warranty | | |
| | 1 ea | Natural Gas | | |
| | 1 ea | Battery spark ignition | \$149.76 | \$149.76 |
| | 1 ea | SPSS-24 Plate Landing Shelf, 24" | \$692.98 | \$692.98 |
| | 1 ea | 2-1/2" leg in lieu of standard (priced per leg) | \$86.32 | \$86.32 |
| | 1 ea | Lava Rocks | \$86.32 | \$86.32 |
| | 1 ea | Filler strip | \$63.43 | \$63.43 |
| | 1 ea | Dormont 1675KITB48 Hose, Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Standard Snap QD, (1) full port valve (2) 90 elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty | \$178.40 | \$178.40 |
| | | | ITEM TOTAL: | \$6,643.16 |
| 20 | 2 ea | COMBI OVEN, ELECTRIC RATIONAL Model No. ICC 6-FULL E 208/240V 3 PH (LM200CE) (CC2ERRA.0000255) iCombi Classic® 6-Full Size Combi Oven, electric, (6) 18" x 26" sheet pan or (12) 12" x 20" steam pan or (6) 2/1 GN pan capacity, (3) stainless steel grids included, digital color display screen with push button control, (3) manual operating modes: steam, convection & combination, 85° to 572°F temperature range, (100) program slots, core temperature probe, retractable hand shower, 5-speed fan, (4) automatic cleaning | \$15,151.08 | \$30,302.16 |
| | |  | | |

| Item | Qty | Description | Sell | Sell Total |
|------|------|---|------------|------------|
| | | programs, integrated care system, 208/240v/60/3-ph, 22.4 kW, CE, IPX5, UL, cULus, NSF, ENERGY STAR® | | |
| | 2 ea | NOTE: All discounts subject to approval by manufacturer | | |
| | 2 ea | 2 years parts and labor, 5 years steam generator warranty | | |
| | 2 ea | CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge | | |
| | 2 ea | 9999.2002 Pre-Installation Site Consultation, provides an installation consultation to ensure the site has proper space and connections for gas, electric, drain & water, one (1) Consultation is needed for every four (4) cooking systems, includes 100 miles (200 miles round trip). (see attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$600.00 | \$1,200.00 |
| | 2 ea | 9999.2252 RCI RATIONAL Certified Installation, new certified installation for each table-top iCombi of a combi-duo, 100 miles (200 round-trip) included. (See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$1,500.00 | \$3,000.00 |
| | 2 ea | 8720.1563US Installation Kit, for electric iCombi/SCC/CMP 62 (208/60/3ph & 240/60/3ph); electric iCombi/SCC/CMP 202 (480/60/3ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$643.20 | \$1,286.40 |
| | 2 ea | 1900.1150US Water Filtration Double Cartridge System, for full-size Combi-Duos or if used for more than (2) units, includes: (1) double head with pressure gauge, (2) R95-CL filter & (1) filter installation kit (for each additional unit add (1) additional head & additional cartridge. Maximum (4) cartridges) | \$1,703.60 | \$3,407.20 |
| | 2 ea | 9999.2271 RCI RATIONAL Certified Installation, additional installation cost for a RATIONAL Water Filter System is available when purchased with Certified Installation of RATIONAL unit THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$210.00 | \$420.00 |
| | 2 ea | NOTE: The RATIONAL Water Filtration Systems helps provide consistent high quality water to your RATIONAL cooking systems. The patented carbon block technology reduces the effects of sediment, chloramines and chlorine while providing the required flow rates | | |
| | 2 ea | 56.01.535 Active Green Cleaner Tabs, for all iCombi Pro/Classic, 150 pieces/bucket (minimum order quantity- 2 ea, unless ordered with a unit) (NET) | \$156.24 | \$312.48 |
| | 2 ea | 56.00.562 Care Tabs, bucket of 150 packets for all iCombi Pro/Classic models and SelfCooking Center® units from 10/2008, with CareControl - Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit) (NET) | \$141.96 | \$283.92 |
| | 1 kt | 60.74.725 Combi-Duo Stacking Kit for iCombi 6-full size (electric or gas) on iCombi 6- or 10-full size (electric only) | \$1,056.01 | \$1,056.01 |
| | 1 ea | 9999.2262 RCI RATIONAL Certified Installation, for Universal Stacking kit at the time of Certified Unit Installation. Not needed | \$180.00 | \$180.00 |



| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|--------------------|
| | | for iCombi-Duo. Universal Stacking kit allows for using the top surface for items up to 551 lb. THIS ITEM IS NON-DISCOUNTABLE. USA ONLY (NET) | | |
| | 1 ea | 60.31.203 Stand I Stationary Oven Stand for Combi-Duo, 7-3/4"H, open sides, for iCombi 6-full size on 6-full size | \$616.90 | \$616.90 |
| | 2 ea | 60.75.768 Heat Shield, for right side panel, type 6-full size Pro/Classic, 2"W, stainless steel construction | \$272.61 | \$545.22 |
| | 6 ea | 6010.2101 Gastronorm Grid Shelf, 2/1 size, 25-5/8" x 20-7/8", stainless steel | \$62.75 | \$376.50 |
| | 6 ea | 6019.1150 CombiFry Basket, 1/1 GN, 12-3/4" x 20-7/8" | \$94.12 | \$564.72 |
| | | | ITEM TOTAL: | \$43,551.51 |
| 21 | 1 ea | REACH-IN REFRIGERATOR Continental Refrigerator Model No. (1RN-OOP) Line Refrigerator, reach-in, one-section, 21 cu. ft., self-contained refrigeration, aluminum exterior & interior, stainless steel front, standard depth cabinet, full-height solid door, cylinder lock, electronic control with digital display, hi-low alarm, unit comes standard with expansion valve, 6" stainless steel legs, R290 Hydrocarbon Refrigerant, 1/4 HP, cETLus, NSF, Made in USA, ENERGY STAR | \$5,280.00 | \$5,280.00 |
| | | | ITEM TOTAL: | \$5,280.00 |
| 22 | 1 ea | REACH-IN FREEZER Continental Refrigerator Model No. (1FN-OOP) Freezer, reach-in, one-section, 21.0 cu. ft., self-contained refrigeration, aluminum exterior & interior, stainless steel front, standard depth cabinet, full-height solid door, cylinder lock, electronic control with digital display, hi-low alarm, 4" casters, 1/3 HP, cETLus, NSF, Made in USA | \$6,120.00 | \$6,120.00 |
| | | | ITEM TOTAL: | \$6,120.00 |
| 23 | 1 ea | WORK TABLE, 108", STAINLESS STEEL TOP John Boos Model No. ST4R5-30108SSW Work Table, 108"W x 30"D, 14/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & welded undershelf, adjustable bullet feet, NSF, CSA-Sanitation, Full Welded Setup | \$2,071.70 | \$2,071.70 |
| | 1 ea | X-0115Y Modified as noted, PER SKETCH (for special notations) Sinks in middle towards left SS-200-7-AS101 on right bowl Drawer on right | | |
| | 1 ea | X-0002J1 2" deep 5"H rear riser, with turndown & "Z" clips, in lieu of standard 1-1/2" deep 5"H rear riser | \$48.79 | \$48.79 |
| | 1 ea | X-0209S-6 Modification to leg height, (6) leg table, 34"H overall | \$64.44 | \$64.44 |


| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|-------------------|
| | 1 pr | X-0440A Vac breaker holes in backsplash, per pair (modification) | \$27.16 | \$27.16 |
| | 1 ea | X-0440B Disposal cut-out with collar (collar supplied by KEC) (modification) | \$235.66 | \$235.66 |
| | 1 ea | NOTE: CUSTOMER MUST SPECIFY FULL MAKE AND MODEL OF DISPOSER TO ENSURE PROPER PROVISIONS. | | |
| | 1 ea | CSPA - FACTORY INSTALLED Customer Supplied Accessories to be Factory Installed | | |
| | 1 ea | X-0440DA Stainless steel disposal switch plate, (11" x 17") (modification) | \$104.94 | \$104.94 |
| | 2 ea | CUT2020124 Weld-In Undermount Sink, 1-compartment, 20"W x 20" front-to-back x 12" deep, 3-1/2" drain opening, 14/300 stainless steel fabricated bowl, includes cutout, bowl, faucet holes & welding/polishing (Not available for FBLG & UFBLG) | \$1,037.00 | \$2,074.00 |
| | 2 ea | X-0432A Sink bowl depth modification to reduce bowl depth (specify depth required) (per bowl) Sinks to be 10" deep | \$111.39 | \$222.78 |
| | 1 ea | X-0430B Tub skirt for (2) compartment sink (modification) | \$396.30 | \$396.30 |
| | 1 ea | X-0204H (2) Additional stainless steel legs (modification) | \$135.32 | \$135.32 |
| | 1 ea | PB-LWR-10V Twist Handle Lever Waste, for 3-1/2" industry standard sink opening, standard valve, overflow outlet & basket strainer (includes an adapter for either 2" or 1-1/2" drain outlet) | \$116.91 | \$116.91 |
| | 1 ea | PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 or PB-LWS-10V straight handle lever waste. | \$36.25 | \$36.25 |
| | 1 ea | Note: Provisions made at factory for installation. | | |
| | 1 ea | X-0414C Over flow hole, rear centered (modification) | \$24.39 | \$24.39 |
| | 9 ft | X-0022J Upgrade standard 18/400 work table lower shelf to 16/300 series stainless steel (per linear foot) | \$34.06 | \$306.54 |
| | 1 ea | DR2020SC-S30 Drawer, for 30"D work tables, 20"W x 20" front-to-back x 5" deep, stainless steel front & drawer pan, self closing, roller bearing slides, NSF, for stainless steel table tops only | \$555.55 | \$555.55 |
| | | | ITEM TOTAL: | \$6,420.73 |
| 24 | 1 ea | MINI PRE-RINSE FAUCET ASSEMBLY T&S Brass Model No. MPJ-8CLN-08-CR EasyInstall Mini Pre-Rinse Unit, low profile, deck mount mixing faucet with 8" adjustable centers, quarter-turn Cerama cartridges with check valves, lever handles with color coded indexes, add-on faucet with 8" swing nozzle, 8" rigid riser, 24" flexible stainless steel hose, 1.07 gpm spray valve with swivel (B-0107-J), 6" adjustable wall bracket, polished chrome plated brass body, 1/2" NPT male inlets, cCSAus | \$525.60 | \$525.60 |
| | 1 ea | 3 year limited warranty, standard | | |
| | 1 kt | B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male | \$40.75 | \$40.75 |
| | | | ITEM TOTAL: | \$566.35 |



| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|-------------------|
| 25 | 1 ea | DISPOSER Salvajor Model No. 200-SA-6-WSP Water Saving Package with Operator Sensor, Disposer, Sink Assembly, 6-1/2" sink collar, 2 Hp motor, start/stop push button, drain/flush/time delay, automatic reversing & water saving with safety line disconnect ARSS-LD control, includes fixed nozzle, chrome plated vacuum breaker, solenoid valve, sink stopper & flow control, heat treated aluminum alloy housing, UL, CE | \$4,374.81 | \$4,374.81 |
| | 1 ea | 208v/60/3-ph, 6.6 amps | | |
| | 1 ea | T&S Brass B-0455 Vacuum Breaker Unit, 1/2" IPS piping, slip flanges for mounting on 45° surface, 6" between piping | \$260.87 | \$260.87 |
| | | | ITEM TOTAL: | \$4,635.68 |
| 26 | 1 ea | SHELVING, WALL MOUNTED John Boos Model No. BHS12108-14/304 Shelf, wall-mounted, 108"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 14/300 stainless steel, NSF, KD | \$472.24 | \$472.24 |
| | | Per floor plan | | |
| | | | ITEM TOTAL: | \$472.24 |
| 27 | 1 ea | WORK TABLE, STAINLESS STEEL TOP John Boos Model No. ST4-48108SSW Work Table, 108" x 48"D, 14/300 stainless steel flat top, with Stallion Safety Edge front & back, 90° turndown on sides, stainless steel legs & welded undershelf, adjustable bullet feet, NSF, CSA-Sanitation, Full Welded Setup | \$2,978.44 | \$2,978.44 |
| | 1 ea | X-0115Y Modified as noted, PER SKETCH (for special notations) Sinks on left Chase to ceiling for plumbing purposes, splash mount faucet holes chase | | |
| | 1 ea | X-0209S-6 Modification to leg height, (6) leg table, 34"H overall | \$64.44 | \$64.44 |
| | 1 ea | X-0002CC Wire Chase, run from table top to ceiling, 18"W x 4"D, max length 7 ft., removable access panel, factory installed only | \$1,117.09 | \$1,117.09 |
| | 1 ea | CUT2020124 Weld-In Undermount Sink, 1-compartment, 20"W x 20" front-to-back x 12" deep, 3-1/2" drain opening, 14/300 stainless steel fabricated bowl, includes cutout, bowl, faucet holes & welding/polishing (Not available for FBLG & UFBLG) | \$1,037.00 | \$1,037.00 |
| | 1 ea | X-0432A Sink bowl depth modification to reduce bowl depth (specify depth required) (per bowl) Sinks to be 10" deep | \$111.39 | \$111.39 |
| | 2 ea | DR2020SC-S30 Drawer, for 30"D work tables, 20"W x 20" front-to-back x 5" deep, stainless steel front & drawer pan, self closing, roller bearing slides, NSF, for stainless steel table tops only | \$555.55 | \$1,111.10 |
| | 1 ea | PB-LWR-10V Twist Handle Lever Waste, for 3-1/2" industry | \$116.91 | \$116.91 |



| Item | Qty | Description | Sell | Sell Total |
|------|------|--|--------------------|-------------------|
| | | standard sink opening, standard valve, overflow outlet & basket strainer (includes an adapter for either 2" or 1-1/2" drain outlet) | | |
| | 1 ea | PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 or PB-LWS-10V straight handle lever waste. | \$36.25 | \$36.25 |
| | 1 ea | Note: Provisions made at factory for installation. | | |
| | 1 ea | X-0414C Over flow hole, rear centered (modification) | \$24.39 | \$24.39 |
| | 1 ea | EBOX24-REC Single gang junction box (empty), welded in stainless steel recessed bracket, mounts in 4" electrical chase in modular base work tables | \$283.38 | \$283.38 |
| | 2 ea | GFCI20A Heavy duty UL listed NEMA 5-20 GFCI receptacle, stainless steel face plate, maximum load 125VAC 16A, gray (pre-wiring not included) | \$166.99 | \$333.98 |
| | | | ITEM TOTAL: | \$7,214.37 |
| 28 | 1 ea | WALL / SPLASH MOUNT FAUCET T&S Brass Model No. B-0231-CC-CR Sink Mixing Faucet, wall mount, 12" swing nozzle, 8" centers, 1/2" NPT male inlets, lever handles, quarter-turn Cerama cartridges, low lead, ADA Compliant | \$193.75 | \$193.75 |
| | |  | | |
| | 1 kt | B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "Ell" 1/2" NPT female x male | \$40.75 | \$40.75 |
| | | | ITEM TOTAL: | \$234.50 |
| 29 | 1 ea | SANDWICH / SALAD PREPARATION REFRIGERATOR Beverage Air Model No. SPE60HC-16 Sandwich Top Refrigerated Counter, two-section, 60"W, 16.02 cu. ft. capacity, (2) doors, stainless steel top with opening for (16) 1/6 size pans, 10" cutting board, (4) shelves, stainless steel exterior top, front, sides & doors, galvanized steel exterior bottom and back, aluminum interior, rear-mounted self-contained refrigeration, (pans furnished are 4" deep, tops will accommodate 6" deep pans), R290 Hydrocarbon refrigerant, 1/3 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA | \$4,757.78 | \$4,757.78 |
| | |  | | |
| | 1 ea | 3 years parts & labor warranty (excludes maintenance items) | | |
| | 1 ea | Self-Contained refrigeration | | |
| | 1 ea | 7 years compressor warranty (part only), standard | | |
| | 1 ea | 115v/60/1-ph, 5.4 amps, cord with NEMA 5-15P | | |
| | 1 ea | Left door hinged left, right door hinged right, standard | | |
| | 1 ea | 6" Heavy duty casters, standard | | |
| | | | ITEM TOTAL: | \$4,757.78 |
| 30 | 1 ea | NUGGET ICE MAKER | \$6,861.89 | \$6,861.89 |




| Item | Qty | Description | Sell | Sell Total |
|---|------|---|--------------------|-------------------|
|  | | Scotsman Model No. NH0622W-1 Prodigy Plus® Ice Maker, nugget style, H2 Nugget Ice, water-cooled, self-contained condenser, production capacity up to 640 lb/24 hours at 70°/50° (557 lb AHRI certified to 90°/70°), sealed maintenance-free bearings, AutoAlert™ indicating lights, unit specific QR code, stainless auger and evaporator, one-touch cleaning, stainless steel finish, AgION™ antimicrobial protection, R-404A refrigerant, 115v/60/1-ph, 14.4 amps, NSF, cULus, engineered and assembled in USA | | |
| | 1 ea | NOTE: Sale of this product must comply with Scotsman's MSRP Policy; contact your Scotsman representative for details | | |
| | 1 ea | 3 year parts & labor warranties | | |
| | 1 ea | 5 year parts on compressor | | |
| | 1 ea | NOTE: Kit(s) required for all modular nugget ice machines placed on a dispenser; contact your Scotsman representative for details | | |
| | 1 ea | B322S Ice Bin, top-hinged front-opening door, 370 lb application capacity, for top-mounted ice maker, 22" width, metallic finish exterior, toolless removable baffle, polyurethane insulation, polyethylene liner, includes 6" legs, NSF, engineered and assembled in USA | \$1,514.89 | \$1,514.89 |
| | 1 ea | 3 year parts & labor warranties | | |
| | 1 ea | NOTE: Includes KLP7 black enamel 6" adjustable leveling legs with flanged feet | | |
| | 1 ea | AP2-P AquaPatrol™ Plus Water Filtration System, double system, 4.2 gallons per minute max flow, designed for cubers over 650 lb and up to 1,200 lb, and for flakers and nuggets over 1,200 lb, cULus, NSF | \$553.53 | \$553.53 |
| | | | ITEM TOTAL: | \$8,930.31 |
| 31 | 1 ea | WORK TABLE, CONFIGURABLE John Boos Model No. Z-VILLAGEBRAD-31 Double sided configuration, Work Table, 180"W x 56"D, 14/300 stainless steel flat top, with Stallion Safety Edge front & back, 90° turndown on sides, stainless steel legs & welded undershelf, adjustable bullet feet, NSF, CSA-Sanitation, Full Welded Setup Prep with turn down bolted joint Rear to be dish cabinet style with fixed midshelf Notch in middle for SR60B-16 Cutout on right for HFW-3DS, control apron | \$15,687.55 | \$15,687.55 |
| | 2 ea | EBOX24 Single gang junction box (empty), welded in stainless steel mounting bracket, mounts below table top or overshelf | \$257.75 | \$515.50 |
| | 2 ea | GFCI20A Heavy duty UL listed NEMA 5-20 GFCI receptacle, stainless steel face plate, maximum load 125VAC 16A, gray (pre-wiring not included) | \$151.89 | \$303.78 |
| | 3 pr | OSHLB-6 Heat Lamp Bracket, 6" wide, comes as a pair, fits with Hatco warming lamps & JBC overshelves | \$37.28 | \$111.84 |




| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|--------------------|
| | | | ITEM TOTAL: | \$16,618.67 |
| 32 | 1 ea | HOT FOOD WELL UNIT, DROP-IN, ELECTRIC APW Wyott (Middleby) Model No. HFW-3DS Hot Food Well Unit, drop-in, electric, (3) 12" x 20" wells, wet or dry operation, infinite controls, EZ lock, insulated, with drain, stainless steel wells, UL, NSF | \$3,153.43 | \$3,153.43 |
| | 1 ea | 1 year parts & labor warranty, standard | | |
| | 1 ea | 208v/240v/60/3-ph, standard | | |
| | | | ITEM TOTAL: | \$3,153.43 |
| 33 | 5 ea | WIRE SHELVING Olympic Model No. J2436K Packed 4 ea Shelf, wire, 24" x 36", green epoxy finish with chromate substrate, NSF | \$43.50 | \$217.50 |
| | 4 ea | J86K Post 86", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF | \$19.95 | \$79.80 |
| | | | ITEM TOTAL: | \$297.30 |
| 34 | 3 ea | HEAT LAMP Hatco Model No. GRAH-48 Glo-Ray® Infrared Strip Heater, 48" W, high wattage, tubular metal heater rod, single heater rod housing, aluminum construction, 1100 watts, NSF, CE, cULus, Made in USA | \$265.10 | \$795.30 |
| | 1 ea | NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details | | |
| | 1 ea | NOTE: Includes 24/7 parts & service assistance, call 414-671-6350 | | |
| | 3 ea | One year on-site parts & labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed elements | | |
| | 3 ea | 120v/60/1-ph | | |
| | 3 ea | BLT TOG-1 (1) Built-in toggle control (remote recommended) (available at time of purchase only) | | |
| | 3 ea | No Tandem selection | | |
| | 3 ea | STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only) | | |
| | 3 pr | ADJ ANGLE Adjustable angle bracket, pair | \$17.05 | \$51.15 |
| | | | ITEM TOTAL: | \$846.45 |
| 35 | 6 ea | BUN / SHEET PAN RACK | \$481.14 | \$2,886.84 |




| Item | Qty | Description | Sell | Sell Total |
|---|------|---|--------------------|-------------------|
|  | | Channel Manufacturing Model No. 401A Bun Pan Rack, All-Welded, Standard Heavy-Duty Series, 20.5"W x 26"D x 70.25"H, Aluminum Construction, End Load, 3" Angle Spacing, (20) 18" x 26" or (40) 13" x 18" pans (2 per shelf), 5" Swivel Plate Casters model # CPS45U, Made in USA, NSF, 38lbs. (ITEM WEIGHT ONLY), weight does not include 50 lbs. for pallet weight | | |
| | 6 ea | Lifetime warranty against rust and corrosion | | |
| | 6 ea | /009 Accessories, Pan Stop - Aluminum, Made in USA, 1lbs. (ITEM WEIGHT ONLY), MUST BE FACTORY INSTALLED | \$38.34 | \$230.04 |
| | | | ITEM TOTAL: | \$3,116.88 |
| 36 | 2 ea | WORK TABLE, 36", STAINLESS STEEL TOP John Boos Model No. ST4R5-3036SSW Work Table, 36"W x 30"D, 14/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & welded undershelf, adjustable bullet feet, NSF, CSA-Sanitation, Full Welded Setup | \$1,008.92 | \$2,017.84 |
| | 2 ea | X-0115Y Modified as noted, PER SKETCH (for special notations) | | |
| | 2 ea | DR2020SC-S30 Drawer, for 30"D work tables, 20"W x 20" front-to-back x 5" deep, stainless steel front & drawer pan, self closing, roller bearing slides, NSF, for stainless steel table tops only | \$555.55 | \$1,111.10 |
| | | | ITEM TOTAL: | \$3,128.94 |
| 37 | 1 ea | SHELVING, WALL MOUNTED John Boos Model No. BHS1236-16/304 Shelf, wall-mounted, 36"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 16/300 stainless steel, NSF, KD | \$211.27 | \$211.27 |
|  | | | | |
| | | | ITEM TOTAL: | \$211.27 |
| 38 | 2 ea | ICE BIN / ICE CADDY , MOBILE Cambro Model No. ICS125L191 SlidingLid™ Ice Caddy, mobile, 29-1/4"H, 125 lb. capacity, lid slides back & under, polyethylene body with foam insulation, molded in handles, recessed front drain faucet, no assembly required, (4) 5" casters (2 fixed, 2 swivel, 1 with brake), granite gray, NSF | \$700.43 | \$1,400.86 |
|  | | | | |
| | | | ITEM TOTAL: | \$1,400.86 |
| 39 | 6 ea | CART, UTILITY/BUSSING Lakeside Manufacturing Model No. 744 Utility Cart, open, (3) shelf, shelf size 33" x 21", U-shaped frame, all-welded stainless steel construction, 700 lb. capacity, (2) 5" swivel & (2) 8" fixed casters, Made in USA | \$1,065.96 | \$6,395.76 |
|  | | | | |
| | 6 ea | Casters, (2) 5", swivel, (2) 8", fixed cushion tread, standard | | |
| | | | ITEM TOTAL: | \$6,395.76 |


| Item | Qty | Description | Sell | Sell Total |
|---|-------|---|------------|--------------------|
|  | 40 | DUNNAGE RACK Cambro Model No. DRS360480 S-Series Dunnage Rack, slotted top, 1500 lb. load capacity, 21"D x 36"W x 12"H, polypropylene, one-piece, seamless double wall construction, includes (1) Camlink®, 4" square legs, speckled gray, NSF | \$166.82 | \$166.82 |
| | | | | ITEM TOTAL: |
|  | 8 ea | WIRE SHELVING Olympic Model No. J1848K Packed 4 ea Shelf, wire, 18" x 48", green epoxy finish with chromate substrate, NSF | \$41.40 | \$331.20 |
| | 20 ea | J1836K Shelf, wire, 18" x 36", green epoxy finish with chromate substrate, NSF | \$34.80 | \$696.00 |
| | 28 ea | J86K Post 86", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF | \$19.95 | \$558.60 |
| | | | | ITEM TOTAL: |
| 42 | | SPARE NO. | | |
|  | 8 ea | WIRE SHELVING Olympic Model No. J2448K Packed 4 ea Shelf, wire, 24" x 48", green epoxy finish with chromate substrate, NSF | \$52.20 | \$417.60 |
| | 4 ea | J2436K Shelf, wire, 24" x 36", green epoxy finish with chromate substrate, NSF | \$43.50 | \$174.00 |
| | 12 ea | J86K Post 86", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF | \$19.95 | \$239.40 |
| | | | | ITEM TOTAL: |
|  | 1 ea | THREE (3) COMPARTMENT SINK John Boos Model No. 3PB18244-2D18 Pro-Bowl Sink, 3-compartment, 93-1/4"W x 29-1/2"D x 44-1/16"H overall size, (3) 18"W x 24" front-to-back x 14" deep compartments, (2) 18" left & right drainboards, 10"H boxed backsplash with 45° top and 2" return, (1) set of splash mount faucet holes with 8" centers, 3-1/2" die-stamped drain opening, 16/300 stainless steel construction, stainless steel legs, adjustable front & side bracing, adjustable bullet feet, NSF, CSA-Sanitation, KD | \$3,379.80 | \$3,379.80 |
| | 1 ea | X-0115Y Modified as noted, PER SKETCH (for special notations) | | |
| | 1 pr | X-0414A Additional pair of 1" faucet holes, per pair (modification) | \$27.62 | \$27.62 |


| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|-------------------|
| | 2 ea | X-0204H (2) Additional stainless steel legs (modification) | \$135.32 | \$270.64 |
| | 2 ea | SSK8-3024 Work Table Undershef, 24"W x 30"D, 18/300 stainless steel, NSF | \$144.53 | \$289.06 |
| | 2 ea | WSUG-4 Welded Setup, (4) legs with gussets, (base is removable from top) (freight class change required when choosing this option) | \$68.12 | \$136.24 |
| | 3 ea | PB-LWR-10V Twist Handle Lever Waste, for 3-1/2" industry standard sink opening, standard valve, overflow outlet & basket strainer (includes an adapter for either 2" or 1-1/2" drain outlet) | \$116.91 | \$350.73 |
| | 3 ea | PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 or PB-LWS-10V straight handle lever waste. | \$36.25 | \$108.75 |
| | 1 ea | Note: Provisions made at factory for installation. | | |
| | 3 ea | X-0414C Over flow hole, rear centered (modification) | \$24.39 | \$73.17 |
| | | | ITEM TOTAL: | \$4,636.01 |
| 45 | 2 ea | WALL / SPLASH MOUNT FAUCET T&S Brass Model No. B-0290 Sink Mixing Faucet, wall mount, 8" adjustable centers, 12" Big-Flo swing nozzle with plain end outlet, 4-arm kitchen handles with color coded indexes, 00LL street elbows with 3/4" female NPT inlets, ADA Compliant | \$397.15 | \$794.30 |
| | |  | | |
| | | | ITEM TOTAL: | \$794.30 |
| 46 | 1 ea | SHELVING, WALL MOUNTED John Boos Model No. BHS1296-16/304 Shelf, wall-mounted, 96"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 16/300 stainless steel, NSF, KD | \$399.98 | \$399.98 |
| | |  | | |
| | 1 ea | X-0002M Size modification to reduce size, price next largest size | | |
| | 1 ea | X-0115X Modified to specifications, PER SKETCH (used when changing size) | | |
| | | Modify to be 12" x 93.25" long | | |
| | | | ITEM TOTAL: | \$399.98 |
| 47 | 1 ea | CLEAN DISHTABLE John Boos Model No. CDT4-S84SBK-R Pro-Bowl Clean Dishtable, straight design, 84"W x 30"D x 44"H overall size, left-to-right operation, 10"H boxed backsplash with 45° & 2" return, 2-1/4"H rolled edge, 14/300 stainless steel top, stainless steel legs, bracing, & adjustable bullet feet, NSF | \$1,371.62 | \$1,371.62 |
| | |  | | |
| | 1 ea | SPECIFY DISH MACHINE BRAND AND MODEL. John Boos standard opening is 20-7/8". Certain dish machines require modification at additional cost not shown here. | | |
| | 1 ea | X-0115Y Modified as noted, PER SKETCH (for special notations) | | |

| Item | Qty | Description | Sell | Sell Total |
|------|------|--|--------------------|--------------------|
| | 1 ea | WSUG-4 Welded Setup, (4) legs with gussets, (base is removable from top) (freight class change required when choosing this option) | \$68.12 | \$68.12 |
| | 1 ea | CDT6-LS48SSK Dishtable Undershelf, 41-5/8"W x 24-1/8"D, 16/300 stainless steel shelf, 16 ga. stainless steel legs with adjustable bullet feet, NSF | \$272.48 | \$272.48 |
| | | | ITEM TOTAL: | \$1,712.22 |
| 48 | 1 ea | SHELVING, WALL MOUNTED John Boos Model No. BHS1248-16/304 Shelf, wall-mounted, 48"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 16/300 stainless steel, NSF, KD | \$229.68 | \$229.68 |
| | |  | | |
| | | | ITEM TOTAL: | \$229.68 |
| 49 | 1 ea | DISHWASHER, DOOR TYPE, VENTLESS CMA Dishmachines Model No. 180-VL Energy Miser® Ventless Dishwasher, 3 door, door type, 25-1/2"W x 29"D x 86-5/16"H, ventless heat recovery & condensation removal, high temperature sanitizing with built-in 12.0 kW booster heater, approximately (40) racks/hour, 17-1/2" dish clearance, Safe-T-Temp rinse feature, fully automatic cycle, 6.0 kW wash tank heater, automatic heat exchanger condenser & wash-down, door safety interlock system included, rinse pressure regulating valve & wash tank screens, stainless steel construction, adjustable feet, straight or corner application, 1 HP wash pump motor, cULus, ASTM, NSF | \$12,387.35 | \$12,387.35 |
| | |  | | |
| | 1 ea | 208v/60/3-ph, 49.0 amps, standard | | |
| | 1 ea | 3 doors, standard | | |
| | 1 ea | Safe-T-Temp feature assures 180 degree sanitizing rinse once the booster thermostat has been satisfied. Cycle time will vary due to incoming water temperature. | | |
| | 1 ea | Drain Water Tempering Kit – fits 180 Uprights | \$307.27 | \$307.27 |
| | | | ITEM TOTAL: | \$12,694.62 |
| 50 | 1 ea | SOILED DISHTABLE John Boos Model No. SDT4-S84SBK-L Pro-Bowl Soiled Dishtable, straight design, 84"W x 30"D x 44"H overall size, left-to-right operation, (1) 20"W x 20" front-to-back x 8" deep pre-rinse sink bowl, 10"H boxed backsplash with 45° top & 2" return, (1) set of splash mount faucet holes with 8" centers, 2-1/4"H rolled edge, 14/300 stainless steel top, stainless steel legs, bracing, & adjustable bullet feet, NSF | \$2,131.99 | \$2,131.99 |
| | |  | | |
| | 1 ea | SPECIFY DISH MACHINE BRAND AND MODEL. John Boos standard opening is 20-7/8". Certain dish machines require modification at additional cost not shown here. | | |

| Item | Qty | Description | Sell | Sell Total |
|------|------|--|--------------------|-------------------|
| | 1 ea | X-0115Y Modified as noted, PER SKETCH (for special notations) Provisions for SS-200-7-AS101 | | |
| | 1 ea | WSUG-4 Welded Setup, (4) legs with gussets, (base is removable from top) (freight class change required when choosing this option) | \$68.12 | \$68.12 |
| | 1 ea | CDT6-LS48SSK Dishtable Undershef, 41-5/8"W x 24-1/8"D, 16/300 stainless steel shelf, 16 ga. stainless steel legs with adjustable bullet feet, NSF | \$272.48 | \$272.48 |
| | 1 pr | X-0440A Vac breaker holes in backsplash, per pair (modification) | \$27.16 | \$27.16 |
| | 1 ea | X-0440B Disposal cut-out with collar (collar supplied by KEC) (modification) | \$235.66 | \$235.66 |
| | 1 ea | NOTE: CUSTOMER MUST SPECIFY FULL MAKE AND MODEL OF DISPOSER TO ENSURE PROPER PROVISIONS. | | |
| | 1 ea | CSPA - FACTORY INSTALLED Customer Supplied Accessories to be Factory Installed | | |
| | 1 ea | X-0440DA Stainless steel disposal switch plate, (11" x 17") (modification) | \$104.94 | \$104.94 |
| | 1 ea | PB-DTS-20RS-X Dishtable Rack Slide, stainless steel construction, fits 20" x 20" pre-rinse sink (Available in Effingham) | \$117.42 | \$117.42 |
| | | | ITEM TOTAL: | \$2,957.77 |
| 51 | 1 ea | PASS-THRU COCKTAIL STATION Krowne Model No. KRPT-36LP-10 Royal Series Underbar Ice Bin/Cocktail Station, pass-thru combo, 36"W x 45"D x 45"H, 18"W pass-thru ice bin on left with 10-circuit cold plate, 24"W double speedrail, (2) dump sinks on right with (1) deck mount Royal Series gooseneck faucet (low lead compliant), 10"W blender shelf with duplex outlet, 18"D glass shelf with perforated insert & drain, includes 4" tubing chase with soda gun holder, stainless steel side panels, stainless steel construction, stainless steel legs with grey plastic bullet feet, NSF | \$7,879.03 | \$7,879.03 |
| | 1 ea | This unit is built to order and cannot be returned | | |
| | 1 ea | KR-325 Full sliding Cover, for 18" wide pass-thru ice bin – no bottle wells (specify pass-thru model number) | \$430.11 | \$430.11 |
| | 2 ea | 30-152 Perforated Drain Basket for Bar Sink, fits all 10" x 14" x 10" sink bowls, 5" deep, with stainless steel handles, stainless steel | \$130.73 | \$261.46 |
| | 1 ea | 21-198L Krowne Royal Series E-Z Install Water Line Kit, deck mount, 24" long | \$32.93 | \$32.93 |
| | | | ITEM TOTAL: | \$8,603.53 |
| 52 | 1 ea | PRE-RINSE FAUCET ASSEMBLY, WITH ADD ON FAUCET | \$551.52 | \$551.52 |



| Item | Qty | Description | Sell | Sell Total |
|---|------|---|--------------------|-------------------|
|  | | T&S Brass Model No. B-0133-01-CR EasyInstall Pre-Rinse Unit, wall mount mixing faucet, 8" adjustable centers, 56" flexible stainless steel hose, 1.15 GPM spray valve (B-0107), 14" EasyInstall add-on swing faucet with stream regulator outlet, quarter-turn Cerama cartridges with check valves, lever handles with color-coded indexes, 18" riser, 9" wall bracket, polished chrome-plated brass faucet body, 1/2" NPT female inlets, low lead | | |
| | 1 kt | B-0230-K Installation Kit, (2) 1/2" NPT nipples, lock nuts & washers, (2) short "EII" 1/2" NPT female x male | \$40.75 | \$40.75 |
| | | | ITEM TOTAL: | \$592.27 |
| 53 | 1 ea | DISPOSER Salvajor Model No. 200-SA-6-WSP Water Saving Package with Operator Sensor, Disposer, Sink Assembly, 6-1/2" sink collar, 2 Hp motor, start/stop push button, drain/flush/time delay, automatic reversing & water saving with safety line disconnect ARSS-LD control, includes fixed nozzle, chrome plated vacuum breaker, solenoid valve, sink stopper & flow control, heat treated aluminum alloy housing, UL, CE | \$4,374.81 | \$4,374.81 |
| | 1 ea | 208v/60/3-ph, 6.6 amps | | |
| | 1 ea | T&S Brass B-0455 Vacuum Breaker Unit, 1/2" IPS piping, slip flanges for mounting on 45° surface, 6" between piping | \$242.24 | \$242.24 |
| | | | ITEM TOTAL: | \$4,617.05 |
| 54 | 2 ea | HAND SINK John Boos Model No. PBHS-W-1410-SSLR-X Pro-Bowl Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep bowl, splash mount faucet holes with 4" centers, 1-7/8" drain opening with basket drain, with left & right side splashes, includes mounting bracket, all stainless steel construction, NSF, CSA-Sanitation (faucet NOT included) (Available in Effingham and Nevada) | \$197.22 | \$394.44 |
| | 2 ea | Standard flyer accessories only, NO modifications to flyer items allowed or their accessories | | |
| | 2 ea | T&S Brass B-1146-04-CR Workboard Faucet, wall mount, 4" centers, 5-3/4" swivel gooseneck nozzle (includes lockwasher to convert to rigid), 2.2 GPM aerator, quarter-turn Cerama cartridges with check valves, 4" wrist blade handles with color-coded indexes, 1/2" NPT male inlets, ADA Compliant | \$198.74 | \$397.48 |
| | 2 ea | T&S Brass 1 year limited warranty, standard | | |
| | 2 kt | T&S Brass B-1105-KIT Inlet Kit, 1/2"NPT close elbows, 24" flex supply hoses | \$33.26 | \$66.52 |
| | | | ITEM TOTAL: | \$858.44 |
| 55 | 1 ea | COMBI OVEN, ELECTRIC | \$20,149.08 | \$20,149.08 |

| Item | Qty | Description | Sell | Sell Total |
|---|------|---|------------|------------|
|  | | RATIONAL Model No. ICC 10-FULL E 480V 3 PH (LM200EE) (CE2ERRA.0000259) iCombi Classic® 10-Full Size Combi Oven, electric, (10) 18" x 26" sheet pan or (20) 12" x 20" steam pan or (10) 2/1 GN pan capacity, (5) stainless steel grids included, digital color display screen with push button control, (3) manual operating modes: steam, convection & combination, 85° to 572°F temperature range, (100) program slots, core temperature probe, retractable hand shower, 5-speed fan, (4) automatic cleaning programs, integrated care system, 480v/60/3-ph, 37.4 kW, IPX5, UL, cULus, NSF | | |
| | 1 ea | NOTE: All discounts subject to approval by manufacturer | | |
| | 1 ea | 2 years parts and labor, 5 years steam generator warranty | | |
| | 1 ea | CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge | | |
| | 1 ea | 9999.2002 Pre-Installation Site Consultation, provides an installation consultation to ensure the site has proper space and connections for gas, electric, drain & water, one (1) Consultation is needed for every four (4) cooking systems, includes 100 miles (200 miles round trip). (see attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$600.00 | \$600.00 |
| | 1 ea | 9999.2201 RCI RATIONAL Certified Installation, new certified installation for each individual electric table-top iCombi on a stand or counter, 100 miles (200 round-trip) included. (Do not use for Combi-Duo, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$1,380.00 | \$1,380.00 |
| | 1 ea | 8720.1551US Installation Kit, electric iCombi/SCC/CMP 102 (440/60/3ph & 480/60/3ph); electric iCombi/SCC/CMP 201 (440/60/3pm & 480/60/3ph); electric iCombi/SCC/CMP 61 (208/60/1ph & 240/60/1ph); electric iCombi/SCC/CMP 101 (208/60/3ph & 240/6/3ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$634.80 | \$634.80 |
| | 1 ea | 1900.1154US Water Filtration Single Cartridge System, for any iVario, single Combi model, or XS or half-size Combi-Duos, includes: (1) single head with pressure gauge, R95-CL filter & filter installation kit | \$598.33 | \$598.33 |
| | 1 ea | 9999.2271 RCI RATIONAL Certified Installation, additional installation cost for a RATIONAL Water Filter System is available when purchased with Certified Installation of RATIONAL unit THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$210.00 | \$210.00 |
| | 1 ea | Note: The RATIONAL Water Filtration Systems helps provide consistent high-quality water to your RATIONAL cooking systems. The patented carbon block technology reduces the effects of sediment, chloramines, and chlorine while delivering the required flow rates. | | |


| Item | Qty | Description | Sell | Sell Total |
|------|------|--|--------------------|--------------------|
| | 1 ea | 56.01.535 Active Green Cleaner Tabs, for all iCombi Pro/Classic, 150 pieces/bucket (minimum order quantity- 2 ea, unless ordered with a unit) (NET) | \$156.24 | \$156.24 |
| | 1 ea | 56.00.562 Care Tabs, bucket of 150 packets for all iCombi Pro/Classic models and SelfCooking Center® units from 10/2008, with CareControl - Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit) (NET) | \$141.96 | \$141.96 |
| | 1 ea | 60.76.178 UltraVent® Plus Ventless Recirculating Condensation Hood, with HEPA filter for smoke capture, filters smoke, for single or Combi-Duo, for 6- and 10-full size (electric), 120v/50/60/1-ph, 170 watts, 6' cord, NEMA 5-15P | \$8,791.48 | \$8,791.48 |
| | 1 ea | 87.01.432 Safety Door Lock, retrofit kit recommended with all UltraVents with Certified Installation, prevents rapid door opening, requires 2-step pressing of the door handle (factory option not needed) | \$112.43 | \$112.43 |
| | 1 ea | 9999.2240 RCI RATIONAL Certified Installation, for UltraVent or UltraVent Plus at the time of Certified Unit Installation, (See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE. USA ONLY (NET) | \$240.00 | \$240.00 |
| | 1 ea | 60.76.317 External Core Temperature Probe, USB connection, for 6 and 10 Half and Full size models | \$589.83 | \$589.83 |
| | 3 ea | 6010.2101 Gastronorm Grid Shelf, 2/1 size, 25-5/8" x 20-7/8", stainless steel | \$62.75 | \$188.25 |
| | 3 ea | 6019.1150 CombiFry Basket, 1/1 GN, 12-3/4" x 20-7/8" | \$94.12 | \$282.36 |
| | | | ITEM TOTAL: | \$34,074.76 |
| 56 | 1 ea | COMBI OVEN, ELECTRIC RATIONAL Model No. ICC 10-FULL E 480V 3 PH (LM200EE) (CE2ERRA.0000259) iCombi Classic® 10-Full Size Combi Oven, electric, (10) 18" x 26" sheet pan or (20) 12" x 20" steam pan or (10) 2/1 GN pan capacity, (5) stainless steel grids included, digital color display screen with push button control, (3) manual operating modes: steam, convection & combination, 85° to 572°F temperature range, (100) program slots, core temperature probe, retractable hand shower, 5-speed fan, (4) automatic cleaning programs, integrated care system, 480v/60/3-ph, 37.4 kW, IPX5, UL, cULus, NSF | \$20,149.08 | \$20,149.08 |
| | 1 ea | NOTE: All discounts subject to approval by manufacturer | | |
| | 1 ea | 2 years parts and labor, 5 years steam generator warranty | | |
| | 1 ea | CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge | | |
| | 1 ea | 9999.2002 Pre-Installation Site Consultation, provides an installation consultation to ensure the site has proper space and connections for gas, electric, drain & water, one (1) Consultation is needed for every four (4) cooking systems, includes 100 miles (200 | \$600.00 | \$600.00 |



| Item | Qty | Description | Sell | Sell Total |
|------|-----|---|------------|------------|
| | | miles round trip). (see attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | | |
| 1 ea | | 9999.2201 RCI RATIONAL Certified Installation, new certified installation for each individual electric table-top iCombi on a stand or counter, 100 miles (200 round-trip) included. (Do not use for Combi-Duo, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$1,380.00 | \$1,380.00 |
| 1 ea | | 8720.1551US Installation Kit, electric iCombi/SCC/CMP 102 (440/60/3ph & 480/60/3ph); electric iCombi/SCC/CMP 201 (440/60/3pm & 480/60/3ph); electric iCombi/SCC/CMP 61 (208/60/1ph & 240/60/1ph); electric iCombi/SCC/CMP 101 (208/60/3ph & 240/6/3ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$634.80 | \$634.80 |
| 1 ea | | 1900.1154US Water Filtration Single Cartridge System, for any iVario, single Combi model, or XS or half-size Combi-Duos, includes: (1) single head with pressure gauge, R95-CL filter & filter installation kit | \$598.33 | \$598.33 |
| 1 ea | | 9999.2271 RCI RATIONAL Certified Installation, additional installation cost for a RATIONAL Water Filter System is available when purchased with Certified Installation of RATIONAL unit THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$210.00 | \$210.00 |
| 1 ea | | NOTE: The RATIONAL Water Filtration Systems helps provide consistent high quality water to your RATIONAL cooking systems. The patented carbon block technology reduces the effects of sediment, chloramines and chlorine while providing the required flow rates | | |
| 1 ea | | 56.01.535 Active Green Cleaner Tabs, for all iCombi Pro/Classic, 150 pieces/bucket (minimum order quantity- 2 ea, unless ordered with a unit) (NET) | \$156.24 | \$156.24 |
| 1 ea | | 56.00.562 Care Tabs, bucket of 150 packets for all iCombi Pro/Classic models and SelfCooking Center® units from 10/2008, with CareControl - Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit) (NET) | \$141.96 | \$141.96 |
| 1 ea | | 60.76.178 UltraVent® Plus Ventless Recirculating Condensation Hood, with HEPA filter for smoke capture, filters smoke, for single or Combi-Duo, for 6- and 10-full size (electric), 120v/50/60/1-ph, 170 watts, 6' cord, NEMA 5-15P | \$8,791.48 | \$8,791.48 |
| 1 ea | | 87.01.432 Safety Door Lock, retrofit kit recommended with all UltraVents with Certified Installation, prevents rapid door opening, requires 2-step pressing of the door handle (factory option not needed) | \$112.43 | \$112.43 |
| 1 ea | | 9999.2240 RCI RATIONAL Certified Installation, for UltraVent or UltraVent Plus at the time of Certified Unit Installation, (See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE. USA ONLY (NET) | \$240.00 | \$240.00 |

| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|--------------------|
| | 1 ea | 60.76.317 External Core Temperature Probe, USB connection, for 6 and 10 Half and Full size models | \$589.83 | \$589.83 |
| | 3 ea | 6010.2101 Gastronorm Grid Shelf, 2/1 size, 25-5/8" x 20-7/8", stainless steel | \$62.75 | \$188.25 |
| | 3 ea | 6019.1150 CombiFry Basket, 1/1 GN, 12-3/4" x 20-7/8" | \$94.12 | \$282.36 |
| | | | ITEM TOTAL: | \$34,074.76 |
| 57 | 1 ea | BLAST CHILLER FREEZER, REACH-IN Irinox North America Model No. EASYFRESH NEXT LL EasyFresh® NEXT LL Blast Chiller/Shock Freezer, reach-in: capacity - (14) 18" x 26" sheet pans, (28) 12" x 20" x 2.5" steam table pans (Table & Sheet Pans NOT included) Rapid Blast Chill capacity yield of 110 lbs. from finished cooked temperature 194°F to 37°F in approximately 90 minutes & Rapid Shock Freeze capacity yield of 99 lbs. from finished cooked temperature 194°F to 0°F in approximately 4 hours. Tests carried out in compliance with IRINOX procedures using 2" thick food products. USB HACCP data transfer, automatic cold/frozen holding, door hinged left (Standard), touch pad controls, (4) standard modes for chilling & freezing, temperature probe, automatic SANIGEN® sanitation system, self-contained air-cooled condensing unit, (6) stainless steel wire shelves, stainless steel adjustable legs, 304 stainless steel internal and external material, 2 1/2 HP compressor rating, Unit comes with cord no plug, suggested plug is a L14-20P NEMA. R404a, cULus, UL EPH Classified (compliant with NSF standards) | \$29,820.00 | \$29,820.00 |
| | 1 ea | (2) year parts and labor warranty, standard | | |
| | 1 ea | (5) year compressor warranty, standard | | |
| | 1 ea | 208v/60/3-ph, 4.7 kW, 13.4 amps | | |
| | 1 ea | Standard door hanging (hinge on the left) | | |
| | | | ITEM TOTAL: | \$29,820.00 |
| 58 | 1 ea | HAND SINK Krowne Model No. KR24-HX18 Royal Series Underbar Hybrid Hand/Dump Sink, 18"W x 24"D (to match speed rail depth, (2) 8" x 13" sink bowls with faucets, deck mounted soap dispenser, front mounted multifold towel dispenser, side splashes, 1-1/2" drains, all stainless steel construction, NSF | \$3,159.00 | \$3,159.00 |
| | 1 ea | This unit is built to order and cannot be returned | | |
| | 1 ea | 30-154 Perforated Drain Basket for Krowne Dual Sink (KR24-HX18), 8.75" X 14" X 5", 16GA Stainless Steel | \$138.02 | \$138.02 |
| | | | ITEM TOTAL: | \$3,297.02 |
| 59 | 1 ea | BOTTLE STORAGE UNIT | \$901.04 | \$901.04 |



| Item | Qty | Description | Sell | Sell Total |
|---|--------|--|--------------------|-----------------|
|  | | Krowne Model No. KR24-18RD Royal Series Underbar Liquor Bottle Display Unit, freestanding, 18"W x 24"D (to match speedrail depth), holds (16) liquor bottles, (4) bottle steps with guard rails, stainless steel top, front, & sides, galvanized steel back & bottom, stainless steel legs with adjustable thermoplastic bullet feet, NSF | | |
| | 1 ea | 6-1/2" High Backsplash, standard | | |
| | | | ITEM TOTAL: | \$901.04 |
| 60 | 1 ea | BACK BAR Custom Model No. BACK BAR BACK BAR BY OTHERS | | <By Other> |
| 61 | 1 ea | DRIP TRAY Krowne Model No. KWMDT-12S Krowne Wall Mounted Drip Tray, twelve faucets, handles and faucets not included, OA Length 36", not glycol cooled, brushed stainless steel finish | \$691.09 | \$691.09 |
| | 11 ea | BC-300 Royal Series Standard Beer Faucet, Satin Finish | \$44.47 | \$489.17 |
| | 1 ea | BC-806 Nitro Faucet, for stouts & coffee (Upgrade) | \$107.89 | \$107.89 |
| | 12 ea | BC-807 Standard Black Tap Handle with Brass Insert | \$5.10 | \$61.20 |
| | 12 ea | BC-838 Sulli Plug | \$7.65 | \$91.80 |
| | 1 ea | KSB-12-CUSTOM 12 Product Shadow Box, 14" Deep | \$583.20 | \$583.20 |
| | 1 ea | KR-B273 Krowne Mastertap Blower (25' Distance, 273 CFM, 4" Hose ID) | \$406.30 | \$406.30 |
| | 1 ea | KR-BH25-4 Krowne Mastertap Blower Tubing (4" Hose ID, 25' Long) | \$385.88 | \$385.88 |
| | 12 ea | KR-SBK Through Shadow Box Shank Kit. This includes: 3/4" chrome plated spacer 6" stainless steel shank assembly Star washer Beer washer Hex nut Bent 1/4" stainless steel tailpiece | \$125.87 | \$1,510.44 |
| | 20 ft | BC-836 1/2" Anti-Microbial Drain Line | \$2.92 | \$58.40 |
| | 1 ea | KBP-F1 MasterTap Regulator Panel With 1 Empty Keg Detector, (1) beer line | \$377.14 | \$377.14 |
| | 1 ea | KBP-F3 MasterTap Regulator Panel with 3 Empty Keg Detectors, (3) beer lines | \$1,095.93 | \$1,095.93 |
| | 2 ea | KBP-F4 MasterTap Regulator Panel with 4 Empty Keg Detectors, (4) beer lines | \$1,228.12 | \$2,456.24 |
| | 200 ea | BC-831 3/8" Hardwall Braided High Pressure Tubing | \$1.94 | \$388.00 |
| | 100 ft | BC-833 MasterTap 3/8" I.D. Poly for Empty Keg Detector Drain Line | \$2.31 | \$231.00 |
| | 200 ft | BC-833-A MasterTap 3/8" I.D. Poly for Dispensing Product | \$2.43 | \$486.00 |
| | 1 ea | BC-824 4 Gallon Corner Mount Drain Container for Draft Beer | \$146.29 | \$146.29 |

| Item | Qty | Description | Sell | Sell Total |
|---|-------|--|--------------------|--------------------|
| Coolers | | | | |
| | 1 ea | BC-792-HP CO2 Primary Regulator, high pressure | \$136.57 | \$136.57 |
| | 1 ea | BC-794-HP Nitrogen Primary Regulator, high pressure | \$190.51 | \$190.51 |
| | 1 ea | KGB-1D Gas Blender, Double Blending Wall Mounted Blender, pressures preset, 55%CO2/45% Nitrogen Blend for Lagers, 25% CO2 75% Nitrogen for Stout. | \$2,252.61 | \$2,252.61 |
| | 1 ea | KLD-DUAL Double In-Line Leak Detector | \$280.91 | \$280.91 |
| | 1 ea | KLD-GM CO2 Leak Safety Gas Monitor | \$993.87 | \$993.87 |
| | 1 ea | KLD-CVT2 Check Valve Tee 3/8" X 3/8" X 3/8" | \$58.32 | \$58.32 |
| | 11 ea | BC-800 Sankey Keg Tap, stainless steel probe for Domestic Kegs | \$55.16 | \$606.76 |
| | 1 ea | BC-800-U U Style Keg Coupler | \$107.89 | \$107.89 |
| | 1 ea | INSTALL KIT Included in the Install kit are Product Restrictor Kit for 3/8" Tubing (1 Per Faucet), all tapes, sealants, clamps, unions, U-bends, and other miscellaneous parts (zip ties, jiffy clips, etc.) needed to install the system. | \$1,003.20 | \$1,003.20 |
| | 1 ea | INSTALLATION Krowne's Certified Installer will install the power packs, trunk lines, cooler hardware, towers, and the gas system if not installed by the gas vendor. Krowne's certified installer will also perform the startup of the beer system. The installer does not perform refrigeration, electrical or plumbing work. The customer is responsible to arrange work that will be performed by others, which includes but is not limited to: electrical for Glycol unit, coring of concrete/steel/granite countertops/floors and plumbing for water supply lines for water cooled power packs and glass rinsers. | \$6,564.00 | \$6,564.00 |
| <p>****NOTE: INSTALLATION COSTS ARE BASED ON THREE SITE VISITS ONLY, ANY MORE THAN THREE VISITS WILL INCUR ADDITIONAL CHARGES FROM THE INSTALLER.</p> | | | | |
| | | | ITEM TOTAL: | \$21,760.61 |

62

1 ea **BACK BAR CABINET, REFRIGERATED**

\$3,489.19

\$3,489.19





Glastender, Inc. Model No. C1FL32
Cooler, one zone, front serviced, low profile, 32"W, one-section, 16"W door opening, self-contained refrigeration, LED interior lighting, front venting, stainless steel interior & exterior sub-top, (2) adjustable shelves per door, R290 Hydrocarbon refrigerant, 1/6 HP, NSF Standard 7 for open food storage, cETLus, ETL-Sanitation, ETL Verified (NOTE: Made to order, not returnable)


1 ea NOTE: This is a manufactured to order item and is NOT returnable


1 ea 1 year parts & labor warranty, 5 year compressor warranty (NOTE: applies to units sold and installed within the US & Canada)


| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|-------------------|
| | 1 ea | 120v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, standard | | |
| | 1 ea | Standard 34° to 40°F operation | | |
| | 1 ea | (L) Refrigeration compartment on left side | | |
| | 1 ea | Refrigeration compartment cover finish: Black vinyl-clad, standard | | |
| | 1 ea | Door style, first: Black vinyl-clad glass | \$285.19 | \$285.19 |
| | 1 ea | Door hinge location, first: Left | | |
| | 1 ea | Shelving style: (2) adjustable shelves, standard | | |
| | 1 ea | Signature handle | | |
| | 1 ea | No finished top - stainless steel sub-top, standard | | |
| | 1 ea | Back finish: Galvanized steel, standard | | |
| | 1 ea | Left side finish: Black vinyl-clad, standard | | |
| | 1 ea | Right side finish: Black vinyl-clad, standard | | |
| | 1 ea | Bright White (7,000k), standard | | |
| | 1 st | C-5X2-7/8 Casters, 2-7/8", for 32"W & 36"W front-serviced coolers (set of five) | \$112.50 | \$112.50 |
| | | | ITEM TOTAL: | \$3,886.88 |
| 62 | 1 ea | BACK BAR CABINET, REFRIGERATED Glastender, Inc. Model No. C1FL32 Cooler, one zone, front serviced, low profile, 32"W, one-section, 16"W door opening, self-contained refrigeration, LED interior lighting, front venting, stainless steel interior & exterior sub-top, (2) adjustable shelves per door, R290 Hydrocarbon refrigerant, 1/6 HP, NSF Standard 7 for open food storage, cETLus, ETL-Sanitation, ETL Verified (NOTE: Made to order, not returnable) | \$3,489.19 | \$3,489.19 |
| | 1 ea | NOTE: This is a manufactured to order item and is NOT returnable | | |
| | 1 ea | 1 year parts & labor warranty, 5 year compressor warranty (NOTE: applies to units sold and installed within the US & Canada) | | |
| | 1 ea | 120v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, standard | | |
| | 1 ea | Standard 34° to 40°F operation | | |
| | 1 ea | (R) Refrigeration compartment on right side | | |
| | 1 ea | Refrigeration compartment cover finish: Black vinyl-clad, standard | | |
| | 1 ea | Door style, first: Black vinyl-clad glass | \$285.19 | \$285.19 |
| | 1 ea | Door hinge location, first: Right | | |
| | 1 ea | Shelving style: (2) adjustable shelves, standard | | |
| | 1 ea | Signature handle | | |
| | 1 ea | No finished top - stainless steel sub-top, standard | | |
| | 1 ea | Back finish: Galvanized steel, standard | | |
| | 1 ea | Left side finish: Black vinyl-clad, standard | | |
| | 1 ea | Right side finish: Black vinyl-clad, standard | | |
| | 1 ea | Bright White (7,000k), standard | | |
| | 1 st | C-5X2-7/8 Casters, 2-7/8", for 32"W & 36"W front-serviced coolers (set of five) | \$112.50 | \$112.50 |



| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|-------------------|
| | | | ITEM TOTAL: | \$3,886.88 |
| 63 | 1 ea | BACK BAR CABINET, REFRIGERATED Glastender, Inc. Model No. C1FL52 Cooler, one zone, front serviced, low profile, 52"W, two-section, 16"W door opening, self-contained refrigeration, LED interior lighting, front venting, stainless steel interior & exterior sub-top, (2) adjustable shelves per door, R290 Hydrocarbon refrigerant, 1/6 HP, NSF Standard 7 for open food storage, cETLus, ETL-Sanitation, ETL Verified (NOTE: Made to order, not returnable) | \$4,575.94 | \$4,575.94 |
| | |  | | |
| | 1 ea | NOTE: This is a manufactured to order item and is NOT returnable | | |
| | 1 ea | 1 year parts & labor warranty, 5 year compressor warranty (NOTE: applies to units sold and installed within the US & Canada) | | |
| | 1 ea | 120v/60/1-ph, 3.5 amps, cord, NEMA 5-15P, standard | | |
| | 1 ea | Standard 34° to 40°F operation | | |
| | 1 ea | (L) Refrigeration compartment on left side | | |
| | 1 ea | Refrigeration compartment cover finish: Black vinyl-clad, standard | | |
| | 1 ea | Door style, first: Black vinyl-clad glass | \$285.19 | \$285.19 |
| | 1 ea | Door hinge location, first: Left | | |
| | 1 ea | Shelving style, first: (2) adjustable shelves, standard | | |
| | 1 ea | Signature handle | | |
| | 1 ea | Door style, second: Black vinyl-clad glass | \$285.19 | \$285.19 |
| | 1 ea | Door hinge location, second: Right | | |
| | 1 ea | Shelving style, second: (2) adjustable shelves, standard | | |
| | 1 ea | Signature handle | | |
| | 1 ea | No finished top - stainless steel sub-top, standard | | |
| | 1 ea | Back finish: Galvanized steel, standard | | |
| | 1 ea | Left side finish: Black vinyl-clad, standard | | |
| | 1 ea | Right side finish: Black vinyl-clad, standard | | |
| | 1 ea | Bright White (7,000k), standard | | |
| | 1 st | C-4X2-7/8 Casters, 2-7/8", for front-serviced coolers (set of four) | \$90.00 | \$90.00 |
| | | | ITEM TOTAL: | \$5,236.32 |
| 64 | 1 ea | BAR TOP/WALL Custom Model No. BAR TOP/WALL BAR TOP/WALL BY OTHER | | <By Other> |
| 65 | 6 ea | TRASH RECEPTACLE, INDOOR Rubbermaid Commercial Products Model No. 1955959 Packed 4 ea Slim Jim® Container, 16 gallon, 22"L x 11"W x 25"H, with venting channels, molded-in handles, general purpose waste, open type without lid, high-impact plastic construction, black, Made in USA | | <Future> |
| | |  | | |
| 66 | 2 ea | DRAINBOARD | \$850.50 | \$1,701.00 |

| Item | Qty | Description | Sell | Sell Total |
|---|------|---|--------------------|-------------------|
|  | | Krowne Model No. KR24-S18 Royal Series Underbar Drainboard with open cabinet base, 18"W x 24"D, embossed drainboard top, open front cabinet base, stainless steel top, front, & sides, stainless steel legs with adjustable thermoplastic bullet feet, NSF (Midshelf optional, not standard) | | |
| | 2 ea | 6-1/2" High Backsplash, standard | | |
| | 2 ea | KR-SS18 Royal Series Shelf, for 18"W storage cabinet, stainless steel | \$157.46 | \$314.92 |
| | 2 ea | KR24-PE18 Royal Series Perforated Drainboard Insert, 24" x 18", stainless steel (If ordering alone, please specify model number of unit you are ordering insert for on PO) | \$220.16 | \$440.32 |
| | | | ITEM TOTAL: | \$2,456.24 |
| 67 | 1 ea | BOTTLE COOLER Krowne Model No. BC36-SS Bottle Cooler, flat top, 36"W x 24"D, self-contained refrigeration, (9.5) cases/12oz bottles capacity, (1) sliding lid, (2) adjustable chrome plated divider racks, digital thermostat, includes condensate evaporator, stainless steel interior, stainless steel exterior front & sides, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 1.53 amps, cord with NEMA 5-15P, NSF7, ETL-Sanitation | \$3,094.36 | \$3,094.36 |
| | 1 ea | This equipment is intended for the storage & display of non-potentially-hazardous bottle or canned products only. | | |
| | 1 ea | 2 year parts & labor warranty, 5 year compressor warranty, standard | | |
| | 1 ea | BC-619 Door Lock, for slide top bottle cooler (Qty should match # of doors on unit) | \$26.73 | \$26.73 |
| | 1 st | BC-132 Casters, 2" low profile with brakes (set of 4), plate, raises unit 3" | \$104.00 | \$104.00 |
| | | | ITEM TOTAL: | \$3,225.09 |
| 68 | 1 ea | SODA SYSTEM, PARTS & FITTINGS Krowne Model No. KR24-4SH-R Royal Series Underbar Soda Gun Holder (Mounted on Right of Ice Bin) 4"W x 24"D, fits all Wunder-Bar® & Schroeder® soda guns & manifolds, removable cover, includes drip cup, stainless steel top, front & sides, NSF (soda gun not included) (Recommended that this unit ships attached to a Krowne Ice Bin) | \$475.31 | \$475.31 |
| | | | ITEM TOTAL: | \$475.31 |
| 69 | 1 ea | ICE BIN | \$2,745.90 | \$2,745.90 |

| Item | Qty | Description | Sell | Sell Total |
|---|------|---|--------------------|-------------------|
|  | | Krowne Model No. KR24-36-10 Royal Series Underbar Ice Bin/Cocktail Unit, built-in 10-circuit cold plate, 36"W x 24"D O.A., 138-lb capacity, 12" deep stainless steel bin liner, 1/2" drain, stainless steel top, front & sides, galvanized steel back & bottom, stainless steel legs with adjustable thermoplastic bullet feet, NSF | | |
| | 1 ea | 6-1/2" High Backsplash, standard | | |
| | 1 ea | SCD36F Underbar Ice Bin Cover, full, for 36"W ice bins, stainless steel, NSF (for KR24 Units) | \$194.89 | \$194.89 |
| | 1 ea | RS-36 Royal Series Single Speed Rail, built-in, 36"W x 5"D, sound deadened bottom, stainless steel construction, NSF | \$176.42 | \$176.42 |
| | | | ITEM TOTAL: | \$3,117.21 |
| 70 | 1 ea | DISHWASHER, UNDERCOUNTER CMA Dishmachines Model No. L-1XE Dishwasher/Glasswasher, undercounter, 24"W x 23-1/2"D x 33-1/8"H, with underwater immersion heater, low temperature chemical sanitizing, (40) racks/hour, 12-1/4"H dish clearance, built-in chemical pumps & de-liming system, built-in primer switches & instant start, upper & lower stainless steel wash arms with reinforced end caps, pumped drain, pump purging system, built-in strainer for water inlet, door safety switch, electrical components housed in stainless steel drawer, stainless steel construction, stainless pump impeller, includes (1) open & (1) peg rack, 1 HP wash pump, NSF, UL, cUL, ENERGY STAR® | \$5,401.46 | \$5,401.46 |
| | 1 ea | 115v/60/1-ph, 16.0 amps, standard | | |
| | | | ITEM TOTAL: | \$5,401.46 |
| 71 | 1 ea | UNDERBAR SINK UNITS Krowne Model No. KR24-53C Royal Series Underbar Sink Unit, three compartment, 60"W x 24"D, 10" wide x 14" front-to-back x 10" deep compartments, 12" embossed integral drainboards on left & right, deck mount Royal Series faucet with swing spout, apron on front & sides, (3) removable overflow standpipes, stainless steel top, front, & sides, stainless steel legs with adjustable thermoplastic bullet feet, NSF | \$2,246.29 | \$2,246.29 |
| | 1 ea | 6-1/2" High Backsplash, standard | | |
| | 1 ea | KR-313 Royal Series Side Splash, left & right sides, for KR24 series | \$320.76 | \$320.76 |
| | 1 ea | KR19-PE12 Royal Series Perforated Drainboard Insert, 19" x 12", stainless steel (quantity of 2) (If ordering alone, please specify model number of unit you are ordering insert for on PO) | \$366.44 | \$366.44 |
| | 1 ea | 21-198L Krowne Royal Series E-Z Install Water Line Kit, deck mount, 24" long | \$32.93 | \$32.93 |
| | | | ITEM TOTAL: | \$2,966.42 |
| 72 | 1 ea | WORK TABLE, CABINET BASE OPEN FRONT | \$3,835.01 | \$3,835.01 |

| Item | Qty | Description | Sell | Sell Total |
|---|------|---|------------|-------------------|
|  | | John Boos Model No. 4CO4R5-30120-1S Work Table, cabinet base with open front, 120"W x 30"D, 14/300 stainless steel top with 5" backsplash, Stallion Safety Edge front, (1) midshelf, 18/430 stainless steel wrap, stainless steel legs with adjustable feet, NSF | | |
| | 1 ea | X-0115Y Modified as noted, PER SKETCH (for special notations) Hinged doors on each end Sinks on left Midshelf in middle Trough on right | | |
| | 3 ft | X-0002K Enclosed back of splash, up to 12" tall (per linear foot) (modification) | \$55.69 | \$167.07 |
| | 1 ea | X-2201J 30" left end splash, stainless steel (up to 5" in height) | \$248.09 | \$248.09 |
| | 1 ea | X-2201I 30" right end splash, stainless steel (up to 5" in height) | \$248.09 | \$248.09 |
| | 1 ea | X-2201A Double wall double coved stainless steel splash guard, up to 10"H | \$377.89 | \$377.89 |
| | 1 ea | URN4-36-W Urn Trough, weld-in, 36"W x 4-3/4"D, 1" MPT drain, removable grate, 14/300 stainless steel construction (installed at factory) | \$513.67 | \$513.67 |
| | 1 ea | CUTCSB18 Weld-In Undermount Sink, 1-compartment, 12"W x 16" front-to-back x 10" deep, 14/300 stainless steel fabricated bowl, includes cutout, bowl, faucet holes & welding/polishing (Not available for FBLG & UFBLG) | \$1,193.95 | \$1,193.95 |
| | 1 ea | CUTCSB18 Weld-In Undermount Sink, 1-compartment, 12"W x 18" front-to-back x 10" deep, 14/300 stainless steel fabricated bowl, includes cutout, bowl, faucet holes & welding/polishing (Not available for FBLG & UFBLG) | \$1,193.95 | \$1,193.95 |
| | 2 ea | X-0205J18L Single Swing Door, 18" wide, left side (modification) | \$207.12 | \$414.24 |
| | 2 ea | X-0205J18R Single Swing Door, 18" wide, right side (modification) | \$207.12 | \$414.24 |
| | 1 ea | X-0204A Mullion - Interior Portion Panel (modification) | \$147.29 | \$147.29 |
| | 4 ea | X-007005 Hinged Door Lock, one per door | \$196.08 | \$784.32 |
| | | ITEM TOTAL: | | \$9,537.81 |
| 74 | 8 ea | CORNER ANGLE FILLER Krowne Model No. CUSTOM FILLER Royal Series, Custom Angled filler as per Plan | \$789.75 | \$6,318.00 |
| | 8 ea | This unit is built to order and cannot be returned | | |
| | 8 ea | 6-1/2" High Backsplash, standard *****NOTE: AUTOCAD DWG FILE NEEDED AT TIME OF ORDER TO CONFIRM FILLERS | | |
| | | ITEM TOTAL: | | \$6,318.00 |
| 75 | 1 ea | BEVERAGE DISPENSER, AUTOFILL SYSTEM Custom Model No. BEVERAGEDISPENSER BEVERAGE DISPENSER BY VENDOR | | <By Vendor> |

| Item | Qty | Description | Sell | Sell Total |
|------|------|--|--------------------|-------------------|
| 76 | 1 ea | SOFT DRINK SODA SYSTEM, REMOTE Custom Model No. SODAMACHINE SODA MACHINE BY VENDOR | | <By Vendor> |
| 77 | 1 ea | NUGGET ICE MAKER Scotsman Model No. NS0422A-1 Prodigy Plus® Ice Maker, nugget style, Original Chewable Ice®, air-cooled, self-contained condenser, production capacity up to 420 lb/24 hours at 70°/50° (348 lb AHRI certified at 90°/70°), sealed maintenance-free bearings, AutoAlert™ indicating lights, front facing removable air filter, unit specific QR code, stainless auger and evaporator, one-touch cleaning, stainless steel finish, AgION™ antimicrobial protection, R-404A refrigerant, 115v/60/1-ph, 12.9 amps, NSF, cULus, engineered and assembled in USA | \$5,561.43 | \$5,561.43 |
| | 1 ea | NOTE: Sale of this product must comply with Scotsman's MSRP Policy; contact your Scotsman representative for details | | |
| | 1 ea | 3 year parts & labor warranties | | |
| | 1 ea | 5 year parts on compressor | | |
| | 1 ea | NOTE: Kit(s) required for all modular nugget ice machines placed on a dispenser; contact your Scotsman representative for details | | |
| | 1 ea | B322S Ice Bin, top-hinged front-opening door, 370 lb application capacity, for top-mounted ice maker, 22" width, metallic finish exterior, toolless removable baffle, polyurethane insulation, polyethylene liner, includes 6" legs, NSF, engineered and assembled in USA | \$1,514.89 | \$1,514.89 |
| | 1 ea | 3 year parts & labor warranties | | |
| | 1 ea | AP1-P AquaPatrol™ Plus Water Filtration System, single system, 2.1 gallons per minute max flow, designed for cubers up to 650 lb, and for flakers, nuggets & nugget dispensers up to 1,200 lb, cULus, NSF | \$305.75 | \$305.75 |
| | | | ITEM TOTAL: | \$7,382.07 |
| 78 | 1 ea | BIB Custom Model No. BIB STATION BAG IN A BOX STATION BY VENDOR | | <By Vendor> |
| 79 | | SPARE NO. | | |
| 80 | 1 ea | COFFEE BREWER BUNN Model No. 39300.0000 39300.0000 Titan® Single Brewer, 22.5 gallon per hour, coffee extraction controlled with pre-infusion & pulse brew, digital temperature control, large spray head, BrewMETER®, SplashGard® funnel, locks & 28 ounce capacity and paper filter retainers, hot water faucet, Energy-saver mode, stainless steel insulated servers (sold separately), 12,000 watts, UL, NSF | \$2,694.00 | \$2,694.00 |
| | 1 ea | 120/208v/50/60/3-ph, 12000w, 33.4amps, no cord, standard | | |
| | 1 ea | 39400.0001 39400.0001 Titan® ThermoFresh® Server, portable, | \$393.60 | \$393.60 |





| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|-------------------|
| | 1 ea | insulated 3 gallon, contemporary styling & wrap program, large cup clearance, fast flow faucet, brew through lid, Integrated sight gauge, NSF 56000.0029 56000.0029 System, WEQ-54(5).2 | \$318.96 | \$318.96 |
| | | | ITEM TOTAL: | \$3,406.56 |
| 81 | 1 ea | SERVING COUNTER, HOT FOOD, GAS Custom Model No. HOT FOOD COUNTER HOT FOOD COUNTER BY VENDOR | | <By Vendor> |
| 82 | 1 ea | HOT DOG GRILL Star (Middleby) Model No. 30SCBD Grill-Max® Hot Dog Grill, roller-type with integrated bun drawer, stadium seating, Duratec® coated non-stick rollers, capacity 30 hot dogs & 32 buns, analog controls for front and rear zones, stainless steel construction, cULus, UL EPH Classified, Made in USA | \$3,168.80 | \$3,168.80 |
| | 1 ea | [30SCBD-120V] 120v/60/1-ph, 1150 watts, 9.6 amps, NEMA 5-15P, standard | | |
| | | | ITEM TOTAL: | \$3,168.80 |
| 83 | 1 ea | DISPLAY CASE, HOT FOOD, COUNTERTOP USR Brands Model No. MHCC136 Marchia Heated Stainless Steel Countertop Display Case, 36"W, 4.8 cu. ft. capacity, sliding rear & front doors, (3) chrome plated adjustable wire shelves, 86° to 194°F temperature range, digital temperature control, LED interior light, stainless steel interior & exterior, 115v/60/1-ph, cord, 1100 wattage, NEMA 5-15P Lead Time: 10-12 Weeks | \$417.60 | \$417.60 |
| | | | ITEM TOTAL: | \$417.60 |
| 84 | | SPARE NO. | | |
| 85 | 1 ea | COFFE COUNTER Custom Model No. COFFEE COUNTER COFFEE COUNTER BY ARCH. | | <By Vendor> |
| 86 | 1 ea | DISPLAY CASE, REFRIGERATED, SELF-SERVE Structural Concepts Model No. FSI656R Oasis® Refrigerated Self-Service Island, 80-3/4"W, 56"H, open air screen, (2) non-lit non-adjustable metal shelves, top light, black interior, includes price tag moulding (matches interior color), laminated exterior, levelers, Breeze-E (Type II) with EnergyWise self-contained refrigeration system, cETLus, ETL-Sanitation | \$24,101.62 | \$24,101.62 |
| | 1 ea | NOTE: If GFCI is required, a GFCI breaker MUST be used in lieu of a GFCI receptacle | | |
| | 1 ea | 1 yr. parts & labor warranty, 5 yr. compressor warranty, standard | | |
| | 1 ea | Refrigeration: Breeze self-contained refrigeration with evaporator pan, air intake one side/air discharge out other side, standard | | |
| | 1 ea | Electrical: 208-240v/60/1ph, 20.26 amps, standard | | |



| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|--------------------|
| | 1 ea | Electrical Connection: 6' Straight blade power cord with NEMA 6-30P, standard | | |
| | 1 ea | NOTE: Compressor air intake in one side/air discharge out other side, all lower panels cannot be blocked | | |
| | 1 ea | Base Support: Levelers, standard | | |
| | 1 ea | Interior Color: Powder coated SCC Standard Silversan Black (FDA compliant), standard | | |
| | 1 ea | Exterior Color: Laminate STANDARD COLOR | | |
| | 1 ea | GRAIN DIRECTION Standard laminate grain directions (when applicable): - Front Panels (Upper Header and Lower Panels): Horizontal grain direction - End Panels: Vertical grain direction - Blend & Reveal Cases Only: Horizontal grain direction on front and end panels | | |
| | 1 ea | Thermometer: Digital fahrenheit thermometer, standard | | |
| | 1 ea | Shelving: Non-adjustable metal shelves, non-lighted, standard | | |
| | | | ITEM TOTAL: | \$24,101.62 |
| 87 | 1 ea | REFRIGERATED MERCHANDISER True Mfg. - General Foodservice Model No. FLM-27~TSL01 Full Length Refrigerated Merchandiser, one-section, True standard look version 01, (4) shelves, (1) double pane thermal insulated glass swing door, LED interior lights, powder coated exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.3 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA | \$3,465.86 | \$3,465.86 |
| | 1 ea | 7 year compressor warranty, 7 years parts warranty, 7 year labor warranty, standard. Visit www.truemfg.com for specifics. | | |
| | 1 ea | Exterior: Black powder coated steel, standard | | |
| | 1 ea | Interior: Black aluminum, with black shelves, for 1 section units | \$469.22 | \$469.22 |
| | 1 ea | Left door hinging | | |
| | 1 ea | Barrel lock factory installed, one door model | \$253.10 | \$253.10 |
| | 1 ea | (4) Solid cantilever shelves, standard | | |
| | 1 ea | No decal | | |
| | | | ITEM TOTAL: | \$4,188.18 |
| 88 | 2 ea | REFRIGERATED MERCHANDISER True Mfg. - General Foodservice Model No. FLM-54~TSL01 Full Length Refrigerated Merchandiser, two-section, True standard look version 01, (8) shelves, (2) double pane thermal insulated glass swing doors, LED interior lights, powder coated exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA | \$5,535.33 | \$11,070.66 |
| | 2 ea | 7 year compressor warranty, 7 years parts warranty, 7 year labor | | |






| Item | Qty | Description | Sell | Sell Total |
|------|------|--|----------|--------------------|
| | | warranty, standard. Visit www.truemfg.com for specifics. | | |
| | 2 ea | Exterior: Black powder coated steel, standard | | |
| | 2 ea | Interior: Black aluminum with black shelving, for 2 section units | \$766.92 | \$1,533.84 |
| | 2 ea | Left door hinged left, right door hinged right standard | | |
| | 2 ea | Barrel lock factory installed, two door model | \$506.20 | \$1,012.40 |
| | 2 ea | (8) Solid cantilever shelves, standard | | |
| | 2 ea | No decal | | |
| | 2 ea | No decal | | |
| | | ITEM TOTAL: | | \$13,616.90 |
| 89 | 1 ea | TABLE, MERCHANDISING DISPLAY Custom Model No. MERCHANDISING RACK MERCHANDISING RACK BY OWNER | | <By Other> |
| 90 | 1 ea | SERVICE COUNTER Custom Model No. SERVICE COUNTER SERVICE COUNTER BY OWNER | | |
| 91 | 1 ea | POINT-OF-SALE SYSTEMS Custom Model No. POS SYSTEM POS SYSTEMS BY OWNER | | <By Owner> |
| 92 | 1 ea | TICKET WINDOW Custom Model No. TICKET WINDOW TICKET WINDOW/COILING DOOR BY OTHER | | |
| 93 | 4 ea | WIRE SHELVING Olympic Model No. J2448K Packed 4 ea Shelf, wire, 24" x 48", green epoxy finish with chromate substrate, NSF | \$52.20 | \$208.80 |
| | |  | | |
| | 4 ea | 1 year warranty against manufacturing defects | | |
| | 4 ea | 7 year warranty against rust and corrosion | | |
| | 8 ea | J33K Post 33", stationary, grooved at 1" increments, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF | \$14.55 | \$116.40 |
| | | ITEM TOTAL: | | \$325.20 |
| 94 | 4 ea | WIRE SHELVING Olympic Model No. J2436K Packed 4 ea Shelf, wire, 24" x 36", green epoxy finish with chromate substrate, NSF | \$43.50 | \$174.00 |
| | |  | | |
| | 4 ea | 1 year warranty against manufacturing defects | | |
| | 4 ea | 7 year warranty against rust and corrosion | | |
| | 8 ea | J33K Post 33", stationary, grooved at 1" increments, includes | \$14.55 | \$116.40 |


| Item | Qty | Description | Sell | Sell Total |
|------|------|---|--------------------|-------------------|
| | | leveling bolt & cap, green epoxy finish with chromate substrate, NSF | | |
| | | | ITEM TOTAL: | \$290.40 |
| 95 | 1 ea | WORK TABLE, 120", STAINLESS STEEL TOP John Boos Model No. ST4R5-30120SBW Work Table, 120"W x 30"D, 14/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs, side & rear welded bracing, adjustable bullet feet, NSF, CSA-Sanitation, Full Welded Setup | \$1,992.99 | \$1,992.99 |
| | | | ITEM TOTAL: | \$1,992.99 |
| 96 | 2 ea | HOT DOG GRILL Star (Middleby) Model No. 30SCBD Grill-Max® Hot Dog Grill, roller-type with integrated bun drawer, stadium seating, Duratec® coated non-stick rollers, capacity 30 hot dogs & 32 buns, analog controls for front and rear zones, stainless steel construction, cULus, UL EPH Classified, Made in USA | \$3,168.80 | \$6,337.60 |
| | 2 ea | [30SCBD-120V] 120v/60/1-ph, 1150 watts, 9.6 amps, NEMA 5-15P, standard | | |
| | | | ITEM TOTAL: | \$6,337.60 |
| 97 | 1 ea | NACHO CHEESE / CHIPS WARMER, DISPLAY Gold Medal Products Model No. 5300 Nacho Cheese Dispenser, with El Nacho Grande decals, uses bagged cheese, peristaltic pump, 3-button dispensing, air-tight control, adjustable settings, pre-heating area for a second bag, 225 watts, 120v/60/1-ph, NEMA 5-15P, cULus, UL EPH Classified | \$532.80 | \$532.80 |
| | 1 ea | All information & pricing is subject to change without notice; contact Gold Medal Products Co. for the most up-to-date pricing and information. | | |
| | | | ITEM TOTAL: | \$532.80 |
| 98 | 1 ea | DISPLAY CASE, HOT FOOD, COUNTERTOP Hatco Model No. FDWD-1 Flav-R-Fresh® Holding & Display Cabinet, counter model, (1) door, (4) tier interior revolving circular rack & rack motor, 1390 watts, CE, cULus, UL EPH Classified, Made in USA | \$2,446.95 | \$2,446.95 |
| | 1 ea | NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details | | |
| | 1 ea | NOTE: Includes 24/7 parts & service assistance, call 414-671-6350 | | |
| | 1 ea | One year on-site parts & labor warranty, plus one additional year parts only warranty on all Flav-R-Fresh metal sheathed air heating elements | | |
| | 1 ea | 120v/60/1-ph, 1360 watts, 11.3 amps, NEMA 5-15P (domestic voltage) | | |

| Item | Qty | Description | Sell | Sell Total |
|------|------|--|--------------------|--------------------|
| | 1 ea | STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only) | | |
| | 1 ea | FDW3TPT 3 Tier pretzel tree ADD | \$165.55 | \$165.55 |
| | | | ITEM TOTAL: | \$2,612.50 |
| 99 | 1 ea | DISPLAY CASE, HOT FOOD, COUNTERTOP Hatco Model No. FDWD-1 Flav-R-Fresh® Holding & Display Cabinet, counter model, (1) door, (4) tier interior revolving circular rack & rack motor, 1390 watts, CE, cULus, UL EPH Classified, Made in USA | \$2,446.95 | \$2,446.95 |
| | 1 ea | NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details | | |
| | 1 ea | NOTE: Includes 24/7 parts & service assistance, call 414-671-6350 | | |
| | 1 ea | One year on-site parts & labor warranty, plus one additional year parts only warranty on all Flav-R-Fresh metal sheathed air heating elements | | |
| | 1 ea | 120v/60/1-ph, 1360 watts, 11.3 amps, NEMA 5-15P (domestic voltage) | | |
| | 1 ea | STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only) | | |
| | 1 ea | (4) Tier circle rack, standard | | |
| | | | ITEM TOTAL: | \$2,446.95 |
| 100 | 1 ea | FROZEN DRINK MACHINE, NON-CARBONATED, BOWL TYPE BUNN Model No. 58000.0002 58000.0002 Ultra NX, 120V WHT/SST FLAT LID | \$2,488.80 | \$2,488.80 |
| | | | | ITEM TOTAL: |
| | | | | \$2,488.80 |
| 101 | 1 ea | COFFEE BREWER BUNN Model No. 12950.0217 12950.0217 CWTF15-3 Coffee Brewer, automatic, with 1 lower and 2 upper warmers, brews 3.9 gallons per hour, hot water faucet, stainless steel funnel, pourover feature, stainless decor, (Servers sold separately), 120v/60/1-ph, 13.9 amps, 1670 watts, cord attached, UL, NSF | \$754.80 | \$754.80 |
| | 1 ea | 56000.0024 56000.0024 System, WEQ-10(1.5)5L | \$151.44 | \$151.44 |
| | 2 ea | 42400.0101 42400.0101 Decanter, 64 oz., glass, black handle (call for pricing on orders over 239 decanters) | \$10.39 | \$20.78 |
| | 1 ea | 42401.0101 42401.0101 Decanter, 64 oz., glass, orange handle (call for pricing on orders over 239 decanters) | \$10.39 | \$10.39 |
| | | | ITEM TOTAL: | \$937.41 |
| 102 | 1 ea | POPCORN POPPER | \$1,320.00 | \$1,320.00 |




| Item | Qty | Description | Sell | Sell Total |
|---|-------|--|--------------------|-------------------|
|  | | Gold Medal Products Model No. 2389 Lil' Maxx Popcorn Machine, electric, countertop, 8 oz. E-Z Kleen kettle, removable glass panels, all stainless steel cabinet, 1250 watts, 120v/60/1-ph, NEMA 5-15P, UL, NSF | | |
| | 1 ea | All information & pricing is subject to change without notice; contact Gold Medal Products Co. for the most up-to-date pricing and information. | | |
| | 1 ea | 2 year parts & 6 months labor warranty, standard (contact factory for more information) | | |
| | | | ITEM TOTAL: | \$1,320.00 |
| 103 | 1 ea | WORK TABLE, 96", STAINLESS STEEL TOP John Boos Model No. ST4R5-3096SBW Work Table, 96"W x 30"D, 14/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs, side & rear welded bracing, adjustable bullet feet, NSF, CSA-Sanitation, Full Welded Setup | \$1,745.36 | \$1,745.36 |
| | 1 ea | X-0002L Size modification to reduce size, price next largest size | | |
| | 1 ea | X-0115X Modified to specifications, PER SKETCH (used when changing size) | | |
| | | Modify to be 30" x 90" long | | |
| | | | ITEM TOTAL: | \$1,745.36 |
| 104 | | SPARE NO. | | |
| 105 | 10 ea | WIRE SHELVING Olympic Model No. J2448K Packed 4 ea Shelf, wire, 24" x 48", green epoxy finish with chromate substrate, NSF | \$52.20 | \$522.00 |
| | 5 ea | J2442K Shelf, wire, 24" x 42", green epoxy finish with chromate substrate, NSF | \$52.20 | \$261.00 |
| | 12 ea | J86K Post 86", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF | \$19.95 | \$239.40 |
| | | | ITEM TOTAL: | \$1,022.40 |
| 106 | 5 ea | WIRE SHELVING Olympic Model No. J1848K Packed 4 ea Shelf, wire, 18" x 48", green epoxy finish with chromate substrate, NSF | \$41.40 | \$207.00 |
| | 4 ea | J86K Post 86", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF | \$19.95 | \$79.80 |

| Item | Qty | Description | Sell | Sell Total |
|------|------|--|--------------------|-------------------|
| | | | ITEM TOTAL: | \$286.80 |
| 107 | 1 ea | REFRIGERATED MERCHANDISER | \$5,535.33 | \$5,535.33 |
| | |  <p>True Mfg. - General Foodservice Model No. FLM-54~TSL01 Full Length Refrigerated Merchandiser, two-section, True standard look version 01, (8) shelves, (2) double pane thermal insulated glass swing doors, LED interior lights, powder coated exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA</p> | | |
| | 1 ea | 7 year compressor warranty, 7 years parts warranty, 7 year labor warranty, standard. Visit www.truemfg.com for specifics. | | |
| | 1 ea | Exterior: Black powder coated steel, standard | | |
| | 1 ea | Interior: Black aluminum with black shelving, for 2 section units | \$766.92 | \$766.92 |
| | 1 ea | Dual left door hinging | | |
| | 1 ea | Barrel lock factory installed, two door model | \$506.20 | \$506.20 |
| | 1 ea | (8) Solid cantilever shelves, standard | | |
| | 1 ea | No decal | | |
| | 1 ea | No decal | | |
| | | | ITEM TOTAL: | \$6,808.45 |
| 107 | 1 ea | REFRIGERATED MERCHANDISER | \$5,535.33 | \$5,535.33 |
| | |  <p>True Mfg. - General Foodservice Model No. FLM-54~TSL01 Full Length Refrigerated Merchandiser, two-section, True standard look version 01, (8) shelves, (2) double pane thermal insulated glass swing doors, LED interior lights, powder coated exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA</p> | | |
| | 1 ea | 7 year compressor warranty, 7 years parts warranty, 7 year labor warranty, standard. Visit www.truemfg.com for specifics. | | |
| | 1 ea | Exterior: Black powder coated steel, standard | | |
| | 1 ea | Interior: Black aluminum with black shelving, for 2 section units | \$766.92 | \$766.92 |
| | 1 ea | Dual right door hinging | | |
| | 1 ea | Barrel lock factory installed, two door model | \$506.20 | \$506.20 |
| | 1 ea | (8) Solid cantilever shelves, standard | | |
| | 1 ea | No decal | | |
| | 1 ea | No decal | | |
| | | | ITEM TOTAL: | \$6,808.45 |
| 108 | 1 ea | BOTTLE COOLER | \$2,750.88 | \$2,750.88 |

| Item | Qty | Description | Sell | Sell Total |
|---|------|--|--------------------|-------------------|
|  | | True Mfg. - General Foodservice Model No. TD-50-18-HC Bottle Cooler, flat top, (16.5cs) 12 oz. bottles or (24cs) 12 oz. can capacity, stainless steel counter top & (2) lids, barrel locks standard, well design, (3) PVC coated adjustable bin dividers, LED interior lighting, bottle cap opener & cap catcher, black powder coated exterior, galvanized interior, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 1.9 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA | | |
| | 1 ea | 7 year compressor warranty, 7 years parts warranty, 7 year labor warranty, standard. Visit www.truemfg.com for specifics. | | |
| | 1 ea | Self-contained refrigeration standard | | |
| | 1 ea | Solid lid, standard | | |
| | | | ITEM TOTAL: | \$2,750.88 |
| 109 | 1 ea | CONSESSION WINDOW Custom Model No. CONSESSION WINDOW CONSESSION WINDOW/COILING DOOR BY OTHER | | |
| 110 | 1 ea | HAND SINK John Boos Model No. PBHS-W-1410-SSLR-X Pro-Bowl Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep bowl, splash mount faucet holes with 4" centers, 1-7/8" drain opening with basket drain, with left & right side splashes, includes mounting bracket, all stainless steel construction, NSF, CSA-Sanitation (faucet NOT included) (Available in Effingham and Nevada) | \$197.22 | \$197.22 |
| | 1 ea | Standard flyer accessories only, NO modifications to flyer items allowed or their accessories | | |
| | 2 ea | T&S Brass B-1146-04-CR Workboard Faucet, wall mount, 4" centers, 5-3/4" swivel gooseneck nozzle (includes lockwasher to convert to rigid), 2.2 GPM aerator, quarter-turn Cerama cartridges with check valves, 4" wrist blade handles with color-coded indexes, 1/2" NPT male inlets, ADA Compliant | \$198.74 | \$397.48 |
| | 2 ea | T&S Brass 1 year limited warranty, standard | | |
| | 2 kt | T&S Brass B-1105-KIT Inlet Kit, 1/2"NPT close elbows, 24" flex supply hoses | \$33.26 | \$66.52 |
| | | | ITEM TOTAL: | \$661.22 |
| 111 | 1 ea | DELIVERY Zepole Supply Co. Model No. WALK-IN DELIVERY Receive, deliver, uncrate, build walk-in box, mounting of condensing unit, run refrigeration line sets, mount evaporator in walk-in, run drain line to existing floor drain. Roof penetration, sealing and/or coring of holes BY OTHERS All electrical and plumbing BY OTHERS | | |

| Item | Qty | Description | Sell | Sell Total |
|-------------------------|------|--|------|--------------------|
| THIS IS FOR UNION LABOR | | | | |
| | | | | ITEM TOTAL: |
| 112 | 1 ea | DELIVERY Zepole Supply Co. Model No. DELIVERY DELIVERY CONSISTS OF: Receiving, delivery, uncrating, assembly & setting equipment in place. All electrical, plumbing & gas connections are BY OTHERS. Customer is responsible for disposal of all crating & packaging materials. Removal of existing equipment is not included. THIS IS FOR UNION LABOR | | |
| | | | | ITEM TOTAL: |
| 113 | 1 ea | DELIVERY LINE ITEM (HOODS) Zepole Supply Co. Model No. HOOD INSTALLATION Zepole to coordinate delivery of hood system to job site, hang hood, install stainless steel wall panels behind hood only. BY OTHERS: Running of duct work, hoisting and mounting of make-up air unit, exhaust fan(s) and roof curb(s) to roof or final location. Fire wrapping of duct work, all final gas, electrical or plumbing connections, roof penetrations, all sealing. Fire suppression system installation IS included here, in hood manufacturer contract. THIS IS FOR UNION LABOR | | |
| | | | | ITEM TOTAL: |
| 114 | 1 ea | ZEPOLE PAYMENT TERMS Zepole Supply Co. Model No. ZEPOLE PAYMENT TERMS PAYMENT TERMS: 50% DEPOSIT DUE TO ORDER EQUIPMENT, 45-DAY PROGRESS PAYMENT PLUS ANY CHANGE ORDERS IS DUE 12 WEEKS AFTER DATE OF DEPOSIT RECEIVED OR 4 WEEKS BEFORE INSTALLATION, WHICHEVER COMES FIRST. FINAL PAYMENT DUE NET 10 DAYS UPON COMPLETION OF INSTALLATION. | | |



Lease-to-Own
 12-month term: \$71,603.26*
 18-month term: \$48,972.89*
 24-month term: \$37,673.96*
 30-month term: \$30,899.47*
 36-month term: \$26,399.39*
 42-month term: \$23,190.85*
 48-month term: \$20,794.59*
 60-month term: \$17,456.09*

For more information, visit
[LEAF HRFG Credit Application](#)
 or contact:

ERIC CHESSER
 Office: 410-933-8138
 Mobile: 410-830-9497
echesser@leafnow.com

JOE BURNS
 Office: 410-933-8138
 Mobile: 410-977-2608
jburns@leafnow.com

ROB WASSON
 Office: 410-933-8135
 Mobile: 410-977-2607
rwasson@leafnow.com

*** Payments are subject to change based on credit approval.**

| | |
|------------------|---------------------|
| Merchandise | \$651,356.72 |
| Freight | \$10,855.11 |
| Delivery/Install | \$150,077.00 |
| Total | \$812,288.83 |

The above prices and specifications are hereby accepted by the undersigned. Zepole Supply Co. reserves the right to adjust this proposal due to any inaccuracies, field conditions or the customer's request for changes or add-ons. Prices are subject to change due to manufacturer increases. A 50% deposit is due with signed agreement and balance due prior to delivery. If the order is a drop ship, payment is due when the order is placed. A 3% fee will be assessed per credit card transaction. All authorized returned item(s) are subject to a minimum 25% restocking fee, return freight and shipping charges. Product must be new/unused and credit will be approved pending final inspection. Custom fabricated item(s) are not returnable.

All merchandise remains the property of Zepole Supply Co. until paid in full. If order is not delivered within 90 days after receipt of all products in our warehouse, applicable storage fees will apply.
If payment terms are not satisfied, a 1.5% finance charge will be assessed per month.

Acceptance: _____ Date: _____

Printed Name: _____